# WOOD SHOP FEVER

**SPRING** 



**USE WHAT THE PROS USE** 

PRICES IN EFFECT UNTIL JUNE 30TH, 2022

### 8" LOW SPEED LONG SHAFT BUFFER

KC-899LSB

- Powerful 1/2 HP motor
  Arbor shaft diameter: 5/8"

**CUT TRACK SAW** 

- Motor no load speed: 1,750 RPM
  - 5-1/2" long arbor shafts extend out from the housing
     Comes with two 8" x 1/2" spiral sewn cloth buffing wheels



6-1/2" VARIABLE SPEED PLUNGE



Helical cutterhead with 12

owerful 1 HP motor

Cutterhead speed 12,000 RPM

Dual 2-1/2" and 4" dust chute for dust collector hook-up (Only KC-8HJC)
 Replacement Helical cutter

Comes 2 safety push blocks, cutter insert adjustment Torx key and adjustment hex. keys

### 12" BENCH VARIABLE SPEED DRILL PRESSE

KC-12HS-VS

- Powerful 1/2 HP, 5 Amp.
  Variable speeds (580 3200 RPM)
  Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and





KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor 4" stroke capacity allows drilling workpieces up to 4" flick
   Variable speeds 2 (230 - 1100/

900-3300) RPM
Comes with 5/8" drill chuck, chuck
key, onboard chuck key storage and
adjustment hex, keys

699,99

14" WOOD BANDSAW

tilting table with rack & pinion adjustment

Dust chute accepts 2", 3" dust collector hoses
 Comes complete with cast aluminum
 miter gauge, rip fence with 5" high

KC-1402FX

. Powerful 1 HP 120V motor Large 21-3/8" x 15-5/8" cast iron

1 Micron felt upper bag

> 1 Micron Canister filter

**8" BENCHTOP JOINTER WITH HELICAL** 

insert kit (10 pcs)

**CUTTERHEAD** 

KC-8HJC

Helical cutterhead with 16 cutter inserts



KING

KING

### 1200 CFM **DUST COLLECTORS**

- Noise level reading at 36": 66-77dB
  Static pressure (inch of water): 9.5

• Dust port opening: 2 x 4" / 1 x 6"

Micron canister filter, offering optimum air flow effeciency

Table size

with extensions 51-1/2" x 8-1/4"



KC-8365

 Powerful 12 Amp. 120V variable speed "soft-start" motor with "constant torque" technology

Comes with efficient 1L dust management system, dust bag, dust chute, set of carbon brushes and hex. key with on cord storage

This Plunge Cut Track Saw accepts Makita®, Dewalt®, Kreg® or Festool® 6-1/2" x 20mm arbor blades

### **OPTIONAL Accessories 50" Track -** KW-300 79.99 Storage Bag - KW-301 29.99 Track Connector Kit - KW-302 29.99

### 39.99 2 Pc. Clamp Kit - KW-303 13" PLANER WITH HELICAL CUTTERHEAD

**OPTIONAL** 

KC-3105C

KING

### **OVERARM BLADE COVER** SYSTEM WITH DUST COLLECTION

Transparent blade cover with

built-in dust collection to maximize the collection of saw dust



**EXCELSIOR** 

KC-3105C/KDCF-3500

KC-13HPC

Powerful 15 Amp, motor with thermal overload protection

Pre-set depth stops for repeat cuts at 1/8", 1/4", 1/2", 3/4" 1", 1-1/4", 1-1/2" and 1-3/4"

Helical cutterhead with 26 cutter inserts



### 10" CABINET TABLE SAWS

 Riving knife system for maximum operator safety Comes with 10" x 40 tooth carbide tipped saw blade, cast-iron miter gauge, standard and dado inserts, push stick, storage hooks and hex. keys

KC-10KX/U30 30" RIP

KC-10KX/U50 52" RIP



### OPTIONAL EXCELSION Industrial Rip Fence system

### **OPTIONAL**

**OPTIONAL** 

Melamine Extension EXT-5052 Comes with 2 support legs


1 1/2" VACUUM HOSE KIT

Fits: KC-10JCS, KC-26FXT & KC-10KX

HEAVY-DUTY UNIVERSAL mobile base FOR TABLE **SAWS** KMB-1390X

900 lbs. Max.





# **WET-DRY VACUUMS** 3-3/8" TOE KICK SAW

**Double filtration system** 

8520LP

Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool

3.5 PEAK 5 20 LITERS GALLON US

### 8530LPN

• Tank water drain

Power cord wrap for 12 ft. power cord Comes complete with 6 ft. x 1-1/4' hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter,

4 PEAK 8 30 LITERS GALLON US \$109.99

### 8540LST

Tank water drain

Power cord wrap for 12 ft. power cord Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L

dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

# 5 PEAK 10 40 LITERS GALLON US

### 8560LST

Tank water drain18 ft. power cord with convenient

power cord wrap posts Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, contoured handle with air control. cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

# 6.5 PEAK 1660 LITERS GALLON US

HEPA CARTRIDGE FILTERS \$3% KVAC-1145 FITS: 8520LP, 8530LPN 8531LP-B. 8540LST

KVAC-1150 \$39 Fits: 8560LST

### VARIABLE SPEED DRYWALL SANDER KC-8379

LED light illuminates the work

Comes with 6 hoop & loop sand papers (2 x 80, 120, 180 Grit), extension tube, dust hose, 2 vo adaptors (1-1/4" & 1-3/8") and adjustment hex. key



\$439,99

- Powerful 1 HP,
- 6.8 Amp. motor

   Designed to cut subfloors
- underneath cabinets

   Flush mounted carbide blade cuts up to the inner
- wall of toe-kick panels 4 depth of cut positions: 1/4", 3/8", 5/8" and 3/4"
- Comes with 3-3/8" x 18 tooth carbide blade and adjustment hex. kev



### Replacement carbide blade

KW-170 3-3/8" x 18 tooth carbide blade

### **BISCUIT JOINER KIT**

KC-8306

- Motor: 7 Amp. 10,800 RPM
- Robust fence with 0 to 90° and 90° to 135° tilt adjustments with positive stops at 45° & 90°
- 45° location notch allows indexing off the outside of a mitered joint
- Kit includes biscuit joiner with 4" carbide tipped blade, dust bag, hex. key and plastic carrying

### 1/2" DRILLING & MIXING KIT

### KC-8316

- 0 600 RPM 9 Amp. motor
- Variable speed trigger with lock-on button
- · Double gear reduction for added torque
- Rear D-handle rotates 360°
- Comes with 1/2" chuck, 3 galvanized mixing paddles (10mm hex. shank), wrench and sturdy carrying case



### PORTABLE VARIABLE SPEED **METAL CUTTING BANDSAW**

### KC-8377

Variable speed dial for 0-420 SFPM

Cutting capacity of 5" x 5"

Blade tension lever for quick adjustments

Comes with standard 44-7/8" x 1/2" x 0.025"-14 TPI metal



	BI-METAL BLADES									
	Model	Length	Width	TPI	Thickness	Price				
1	KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$22.99				
	KBB-8376-BM-1418			14-18	.020"	\$22.99				

# **TABLE SAWS & ACCESSORIES**











• Powerful 1 HP 110V/220V dual voltage motor

• 1/4" to 1" chisel and bit capacity

· Large longitudinal and transversal 19" x 12-1/2" sliding table prevents unnecessary repositionning and reclamping of the workpiece

Accept 5/8" and 3/4" diameter chisel shanks

5/8" and 3/4" diameter chisel shanks



Head tilts from 0° to 30° to the right and left for angle mortise cuts

**BORING MACHINE** KC-1300BM • Powerful 1.5 HP 110V motor • Designed for simultaneous multi-hole line boring or drilling, ideal for cabi makers or shelving applications • 13 spindles spaced 1-1/4" on centre, allowing drilling up to 13 evenly spaced holes

KING

 Fully adjustable aluminum fence with work stops at each end to line up workpiece from the right or left to perform parallel

boring patterns Indexing pins allow correct spindle alignment for resuming line borin operations in long workpieces

KW-162

• Blum style 45mm-9.5mm three-hole

pattern
3 spindle heads (rotation-2 left/1 right)
Can be used with or without the 8mm boring bits
Comes with 35mm hinge

bring bit, 8mm boring bits (1 left/1 right), link-bar and adjustment





Adjustable fence work stops and extension work stops





# Wood Mortising ATTACHMENT

Kit comes with chisel holder, holddown arms, holddown bracket, fence, ring bushing adaptors, 4 pc. 1/2" shank mortising chisels & bits and carrying case



### **Drill Press VISES**



KPV-3 **\$21**].99 KPV-4 **\$26**.99 KPV-5 **\$39**.99 KPV-6 **\$49**.99

# **Cross slide VISES**

Makes lateral or longitudinal adjustments simple



# The Most Innovative Drill Presses EVER!



# OSCILLATING EDGE SANDERS & ACCESSORIES DRUM SANDERS & ACCESSORIES

# \$1999. End table allows curved sanding operations

# 6" x 89" OSCILLATING EDGE SANDER

### KC-689-OSC-7

- Sturdy cabinet stand
- 4" Dust chute
- · Quick belt release lever
- Comes with miter gauge, table guide and end table

6"x 89' BELTS		Price		
Model	Belt Size	Grit	Unit	Price
SB-689-60	6" x 89"	60	1	\$19.99
SB-689-80	6" x 89"	80	1	\$19.99
SB-689-100	6" x 89"	100	1	\$19.99
SB-689-120	6" x 89"	120	1	\$19.99



### 6" x 108" EDGE SANDER

### CT-108C

- 2 HP motor
- Table size: Front 37" x 7 3/4", Side 19" x 12"
- Fully tilting front table
- 4" Dust chute
- Magnetic safety switch

6"x 108 BELTS	" SAN	DIN	G	
Model	Belt Size	Grit	Unit	Price
SB-6108-60	6" x 108"	60	1	\$19.99
SB-6108-80	6" x 108"	80	1	\$19.99
SB-6108-100	6" x 108"	100	1	\$19.99
SB-6108-120	6" x 108"	120	1	\$19.99









precision during sharpening

& axe jig)





# **CYCLONE SEPARATOR**

- Cyclonic force removes 99% of dust and wood chips before
- it reaches your dust collector
   Recommended for 1.5 to 3 HP dust collectors
- · Cyclonic action separates heavy debris from the fine particles and directs them into the steel drum

  6" Inlet with 2 x 4" adaptor
- 7" Outlet with 6" adaptor, and additional 1" to 6" adaptor included
- · Drum bag included



### 1.5 HP CYCLONE DUST **COLLECTOR**

KC-8150C

- Noise level reading at 36": 78 dB
   Static pressure (inch of water): 9.7
- 29 Gallon steel drum with quick release handle and castor wheels for easy disposal

  Complete with 4 locking caster
- wheels for portability
- Dust port opening: 2 x 4" / 1 x 6"

### **COLLECTOR**

KC-8200C

Noise level reading at 36": 78 dB Static pressure (inch of water): 10.9

**2 HP CYCLONE DUST** 

**CYCLONE DUST COLLECTORS & ACCESSORIES** 

- 29 Gallon steel drum with quick release handle and castor wheels for easy disposal

  Complete with 4 locking caster
- wheels for portability
- Dust port opening: 2 x 4" / 1 x 7"

### COLLECTOR

KC-8300C

Noise level reading at 36": 79 dB
Static pressure (inch of water): 11

**3 HP CYCLONE DUST** 

- 54 Gallon steel drum with quick release handle and castor wheels
- for easy disposal

  Complete with 4 locking
- caster wheels for portability Dust port opening:

3 x 4" / 1 x 8"

KDCB-82 (Fits: KC-8150C \$39. KDCB-83 (Fits: KC-8300C)

**OPTIONAL** 

6pc. heavy-duty bags kit





### **3 SPEED AIR CLEANERS**

2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 micron inner two pocket filter



KAC-1200

Air suction capacity 720, 1115, 1290 CFM





# **DUST COLLECTORS WITH 1 MICRON CANISTER FILTERS**

### **700 CFM DUST COLLECTOR** WITH CANISTER FILTER

KC-2405C/KDCF-2400

Noise level reading at 36": 75-85 dB

Static pressure (inch of water): 6.1

- Dust port opening: 4"

1 HP 7 Amp. @ 120V

### 1200 CFM **DUST COLLECTOR** WITH CANISTER FILTER

KC-3109C/KDCF-3500

- Noise level reading at 36": 66-77 dB
  Static pressure (inch of water): 9.5
- Dust port opening: 2 x 4" / 1 x 6"

### 2280 CFM **DUST COLLECTOR WITH CANISTER FILTERS**

KC-4045C/KDCF-3500

- Noise level reading at 36": 75-85 dB
  Static pressure (inch of water): 11.8
- Dust port opening: 3 x 4" / 1 x 8"







spindle turning capacity to 44"



# 14" X 43" VARIABLE SPEED WOOD LATHE WITH DIGITAL READOUT

### KWL-1443VS

- Spindle tachometer with digital readout
  Variable speed from 600 2,400 RPM
- Pivoting headstock turns 180°
- Quick release headstock, tailstock and tool rest assembly for easy adjustments
- Comes complete with 6" face plate, 12" tool rest with offset and base, MT#2 headstock and tailstock centres and adjustment wrenches



### WOOD LATHE ACCESSORIES NOVA G3 WOOD LATHE CHUCK NOVA G3 AMMERIANT ANNOTATION **ANNIVERSARY BUNDLE** 48260 • 3-3/8" 4 jaw chuck • 1" x 8 TPI • 20, 50 & 100mm and Mini Cole jaw sets · No chuck insert required Fits: KWL-1016C, KWL-1218VS, KWL-1443VS **G3 REVERSIBLE CHUCK** nova 63 KIT (3-1/2") 48232C Direct Threaded 1"x 81PI KH/LII. KIT INCLUPES: G3 Reversible Chuck, 50mm/2"Jaws, T-bar chuck key, Woodworm screw and fastenings **G3 PEN TURNING CHUCK** nova 😘 **BUNDLE KIT (3-1/2")**

# PROFESSIONAL SCROLL Built-in dust blower system Professional quality scroll saw with 1.3 Amp DC motor Variable speed (400-1400 strokes/min) Tool free blade change system with blade holders which accept standard 5" pinless blades Entire head tilts up to 30° to the left and up to 45° to the right for angled cuts Large 12" x 18-1/2" stationary table with built-in 2-1/2" dust chute for dust collector hook-up Comes with five 5" pinless blades, replacement blade tension lever kit and adjustment hex. key

**OPTIONAL** 

48265C Direct Threaded 1"x 8TPI RH/LH.

KITS INCLUDES: G3 Reversible Chuck, 50mm/2"Jaws, Pen Plus Jaws, Mandrel Saver, T-bar chuck key, Woodworm screw and fastenings



4 JAW /4" WOOD LATHE CHUCK

KW-100 Fits models :KWL-1016C, KWL-1218VS & KWL-1443VS 1" x 8 TPI

### 1-1/4" x 8 TPI WOOD LATHE CHUCK ADAPTOR

KW-200 Allows a 1" x 8 TPI wood lathe chuck to be installed on a 1-1/4"x8 TPI wood




### 8 PC. WOOD LATHE CHISEL SET KPRO-08

· Long 10" hard wood handles



**UNIVERSAL STAND & EXTENSION** 



(mod. SS-EXT-101) provides support for

wood lathes fitted with bed extensions



Comes with five 5" pinless blades foot switch, replacement blade tension lever kit and adjustmen hex. key

**S84**9



KSS-16XL

For Models: KXL-16 & KXL-21/100

Pedal Switch \$59.

XL-100

30" KXL-30/100

 Professional quality scroll saw with 1.3 Amp DC motor

 Variable speed (400-1550) strokes/min)

 Tool free blade change system with blade holders which accept standard 5" pinless blades

Entire head tilts up to 38° to the left and up to 45° to the right for angled cuts Large 14" x 32-1/2" stationary table with built-in 2-1/2"

dust chute for dust collector hook-up Comes with five 5'

pinless blades, foot switch, replacement blade tension lever kit and adjustment hex. key

standard with foot switch

foot switch

Built-in dust blower system



# **NAILERS & STAPLERS 23 GA.** X 1 3/8" HEADLESS PIN NAILER KIT 8223PN

 1/2" to 1-3/8" Pin range
 Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy carrying case



23 GA. X 2" HEADLESS PIN **NAILER KIT** 

8251PN
• 1/2" to 2" Pin nail range
• Comes with 1/4" Air inlet, 2

removable non-marring tips, oiler, hex. keys and sturdy carrying case



ADJUSTABLE AIR DEFLECTOR

**ADJUSTABLE** 

AIR DEFLECTOR

16 GA. X 7/16" MEDIUM

**CROWN STAPLER KIT** 

18 GA. X 1/4" NARROW **CROWN STAPLER KIT** 

8101S

• 3/8" to 1" Staple range • Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



8210NS

18 Ga. x 1/4'

(3/8" to 1 5/8") stapler

18 Ga. (3/4" to 2") nailer

Comes with 1/4" air inlet, oiler, hex. keys and sturdy carrying case

HOT DEAL!

### 16 GA. X 2-1/2" BRAD **NAILER KIT**

8225NL

3/4" to 2 1/2" Nail range Comes with 1/4" air inlet, oiler,



ADJUSTABLE AIR DEFLECTOR

ADJUSTABLE AIR DEFLECTOR

### 8245RN

**ADJUSTABLE** AIR DEFLECTOR

7/8" to 1 3/4" (11 Ga.)
Comes with 1/4" air inlet, debris shield, safety glasses, oiler, hex. keys and sturdy carrying case HOT DEAL!

### 2" FLOORING STAPLER/ CLEAT NAILER KIT

8260FSN-2

• 1" to 2" Staple range • 1 1/2" to 2" Cleat

nail range

Comes with mallet, 1/4" air inlet safety glasses, oiler, hex. keys & sturdy

carrying case

**2** in

\$189.99

### CLIPPED HEAD FRAMING NAILERS

Shoots standard 2 3/16" - 3 9/16",, 28° - 30° nails

8234N Shoots standard 2 3/16" - 3 9/16", 34° nails



18 GA. X 2" **BRAD NAILER** 

oiler, hex. keys, & sturdy

NEW & **IMPROVED** HOT DEAL!





### 5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KING

### KC-2051H2

- 150 PSI max pressure 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI
- ASME safety valve



### **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

### KC-1410A

- 1.8 CFM @ 40 PSI
- 1.2 CFM @ 90 PSI
- 125 PSI maximum tank pressure • 1/4" universal "one touch" quick connect coupler

### 1 GALLON 3/4 HP (PEAK) (60 Decibels) ASME safety valve

### **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

### KC-2020A

• 3.8 CFM @ 40 PSI

**ULTRA-QUIET OIL-FREE AIR COMPRESSORS** 

- 2.35 CFM @ 90 PSI
- 125 PSI maximum tank pressure
- Extra long pump life of over 3000 hours

### **2 GALLON** 2 HP (PEAK) (60 Decibels)

ASME safety valve

### **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

### KC-4620A

- 3.80 CFM @ 40 PSI
   2.35 CFM @ 90 PSI
   Extra long pump life of over 3000 hours
   120 PSI maximum tank pressure

### 4.6 GALLON (2 X 2.3) 2 HP (PEAK) (60 Decibels)

ASME safety valve



### **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

### KC-10020SQ

- 125 PSI maximum tank pressure
  150 PSI max pressure
  5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI

### 10 GALLON 3 HP (PEAK) (64 Decibels)

ASME safety valve



### **AIR TOOL KIT**

8171 71 PG Comes with

1/2" Impact, Wrench. 3/8" Ratchet Wrench, Air Hammer and 1/4"

Die Grinder



### 5.5 PEAK HP 24 GALLON AIR COMPRESSOR

### KC-3124V2

- 150 PSI max pressure7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI · ASME safety valve



### **STATIONARY 6.5 PEAK HP 60 GALLON AIR** COMPRESSOR

### KC-6160V3

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI

KING

- 11.2 CFM @ 90 PSI
- · High efficiency reed valves

2 cylinder cast iron single stage oil lubricated pump

### **HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR** COMPRESSOR

### KC-5160V3

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI · High efficiency reed valves

3 cylinder cast iron single stage oil lubricated pump

### **HIGH OUTPUT 7.5 PEAK HP** 80 GALLON AIR COMPRESSOR

### KC-7180V3-MS

- 200 PSI max pressure
- 43 CFM @ 40 PSI
- 28 CFM @ 175 PSI NEW &

**IMPROVED** 

**High Performance** Air Compressor with high output of 28 CFM @ 175 PSI

2 cylinder cast iron





# ARCTIC FLEX

### RETRACTABLE AIR HOSE **REEL WITH HYBRID POLYMER AIR HOSE**

5038FR 50 ft. x 3/8" All-Weather Flexibility (-40°C to 65°C) Comes with wall mounting 09,99

### MANUAL AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE**



-10014FRI 100 ft. x 1/4" All-Weather Flexibility

(-40°C to 65°C) 360° swivel base

09.99

### (-40°C to 65°C)

COMPRESSOR

OIL BOTTLE

KW-077

(850ml)<sub>1</sub>

**\$9**,99

### **HYBRID POLYMER INDUSTRIAL AIR HOSES** HYBRID POLYMER

	INDUS	TRIAL AIR H	IOSES
KING	K-2514H	25' x 1/4"	\$21.99
OTIO FLEX	K-2538H	25' x 3/8"	\$29.99
THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COLUMN TO THE PERSON NAMED IN COLUMN TWO IN COL	K-5014H	50' x 1/4"	\$33.99
	K-5038H	50' x 3/8"	\$44.99
	K-10014H	100' x 1/4"	\$54.99
	K-10038H	100' x 3/8"	\$65.99

**300 PSI MAXIMUM PRESSURE** 

### PREMIUM HYBRID POLYMER **GARDEN HOSES** K-5058GH

150 PSI (Working) 450 PSI (Burst)



 $5/8" \times 50 \text{ ft.}$ K-10058GH 5/8" x 100 ft.

**Extreme All-Weather Flexibility Kink resistant** 

# **WOOD BANDSAWS & ACCESSORIES**

### 10" WOOD BANDSAW

KC-1002C

- Flexible LED light increases workpiece visibility
   Table size with extensions 13-3/8" x 13-1/8"
   Dust chute
- Dust chute accepts 2", 2-1/2" and 4" dust collector hoses
- Comes complete with miter gauge, rip fence, adjustment wrench and hex. keys



	67 1/2" WC	OD CU	TTING	BAN	NDSAW B	.ADES
NY BERNET	Model	Length	Width	TPI	Thickness	Price
(B)	KBB-1018-14	67 1/2"	1/8"	14	.020"	\$22.99
[三二]	KBB-1014-6	67 1/2"	1/4"	6	.020"	\$22.99
(1941)	KBB-1038-6	67 1/2"	3/8"	6	.020"	\$22.99
	KBB-1012-6	67 1/2"	1/2"	6	.020"	\$22.99

### 14" WOOD BANDSAW WITH 12"RESAW CAPACITY

KC-1502FXB

- 2 speeds (2300-3250) SFPM Cast-iron table tilts 45° to the right
- Motor, blade, miter gauge and precision "TRU-RIP" aluminum rip fence with resaw guide included

### 20" x16" cast iron table 12.8 Amp. @ 110V - 6.2 Amp. @ 220V



112" WOC	WOOD CUTTING BANDSAW BLADES					
Model	Length	Width	TPI	Thickness	Price	
KBB-1514-6	112"	1/4"	6	.025"	\$22.99	
KBB-1538-6	112"	3/8"	6	.025"	\$22.99	
KBB-1512-4	112"	1/2"	4	.025"	\$22.99	
KBB-1534-3	112"	3/4"	3	.025"	\$29.99	
KBB-1510-2	112"	1"	2	.032"	\$29.99	

### 12" WOOD BANDSAW

KC-1202FX

- Powerful 3/4 HP 120V motor • Large 18-7/8" x 15-3/8" tilting table with rack
- & pinion adjustment for diameters
- collector hoses Comes complete
- miter gauge, rip fence with 5" high face, push stick, and hex. kevs



88 3/16"	WOOD CU	TTING	BANE	)SA\	W BLAD	ES
	Model	Length	Width	TPI	Thickness	Price
MAN THE REAL PROPERTY.	KBB-1218-14	88 3/16"	1/8"	14	.025"	\$22.99
(8)	KBB-1236-10	88 3/16"	3/16"	10	.025"	\$22.99
( Se )	KBB-1214-6	88 3/16"	1/4"	6	.025"	\$22.99
(8)	KBB-1238-6	88 3/16"	3/8"	6	.025"	\$22.99
	KBB-1212-6	88 3/16"	1/2"	6	.025"	\$22,99

17" WOOD BANDSAW

Rack and pinion height adjustment system
 Cast-iron table tilts 10° to the left & 45°

17" x17" cast iron table

14Amp. @ 110V - 7 Amp. @ 220V

KC-1702FXB

to the right

· Miter gauge system

• 2 speeds (1600/3300) SFPM

### 21" WOOD BANDSAW

KING

### KC-2102FXB

- 2 speeds (1890/3800) SFPM
- Cast-iron table tilts 10° to the left & 45°
- Rack and pinion height adjustment system
- Miter gauge system

### 21" x21" cast iron table 16Amp. @ 110V - 8 Amp. @ 220V Pre-wired to 220V



31 5/8" WOOD CUTTING BANDSAW BLADES							
<b>Nodel</b>	Length	Width	TPI	Thickness	Price		
BB-1714-6	131 5/8"	1/4"	6	.025"	\$28.99		
BB-1738-6	131 5/8"	3/8"	6	.025"	\$28.99		
BB-1712-4	131 5/8"	1/2"	4	.025"	\$28.99		
BB-1734-3	131 5/8"	3/4"	3	.025"	\$29.99		
BB-1710-2	131 5/8"	1"	2	.032"	\$29.99		

### 152 1/8" WOOD CUTTING BANDSAW BLADES Length Width TPI Thickness Price (BB-2114-6 | 152 1/8" | 1/4" | 6 (BB-2138-6 | 152 1/8" | 3/8" | 6 (BB-2134-3 152 1/8" 1/2" 4 .025" (BB-2134-3 152 1/8" 3/4" 3 .032" (BB-2110-2 152 1/8" 1" 2 .032"

### 17" VARIABLE SPEED WOOD & METAL CUTTING BANDSAW

KC-1700WM-VS

14" WOOD CUTTING BANDSAW

Tim in

Dust

chute

WITH RIP FENCE AND

**OPTIONAL** 

RISER BLOCK KIT

KW-049

Comes complete with a 105" blade

FOR 14" WOOD BANDSAWS

RIP FENCE SYSTEM WITH RESAW GUIDE

KW-094

RF-1433R Included with the put of # KC-1433FXR

**RESAW GUIDE** 

**NEOPRENE WHEEL PROTECTOR** 

KC-1433FXR •7.5 Amp. motor

\$139.<sup>99</sup>

\$22 99

**\$139**.

Variable speeds (wood): 540-3600 SFPM

93" WOOD CUTTING BANDSAW BLADES

- Variable speeds (metal): 100-650 SFPM
  Voltage (input power): 220V, 1 phase, 60 Hz
  Cast-iron table tilts 5° to the left & 45° to the right

### 23 1/2" x17" cast iron table 2 HP 7 Amp. @ 220V



Comes with: a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide

and pictorial errors without notice. Articles may vary from illustration shown. ome retailers may not stock all products due to space restrictions and product availability