SPRING & SUMMER

PRICES IN EFFECT UNTIL IUNE 30TH, 2023

550 CFM AIR MOVER


8500AM

- 3 speed switch for airflow control
- Comes with two on-board 120V outlets to connect





\$49.99



8307N

Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45°

Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide

5" DISC HOOP AND LOOP SANDING **PAPER KIT**



\$6.99

5" RANDOM ORBIT **SANDER**

- 1.5 Amp. motor
- · Comes with 9 PC. accessories



WET-DRY VACUUM

Double filtration system 8530LPN

Power cord wrap for

12 ft. power cord Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

8 30 LITERS GALLON US

Think KING when RENOVATING



10" SLIDING COMPOUND MITER SAW WITH TWIN LASER **\$239.**99

8380NS

- Powerful 15 Amp. 5,000 RPM motor
 Rotating table has 9 positive stops at 0°, 15°, 22.5°, 30° and 45° right and left
 Comes complete with a 2 position vertical hold down
- vise, retractable extension wings, dust bag, blade socket wrench and 40 tooth carbide-tipped blade

VARIABLE SPEED RECIPROCATING **SAW KIT**

8354N

- Variable speed 0-2900 SPM
- Tool-less blade clamp system Accepts standard 1/2" shank blades
- Comes with a wood cutting blade and metal



Powerful

7.5 Amp. motor

6" Max. planing thickness

1/8" Max. depth of cut

2 double edged

OPTIONAL

PLANER DUST HOOD KW-076 Fits 12 1/2" planer

12 1/2" REVERSIBLE PLANER





tands alone

15 Amp.

4400 RPM

15 Amp. motor

LOG SPLITTERS HORIZONTAL/VERTICAL GAS LOG SPLITTERS KCG-20LS Quick split 8 second 5 TON - 20" LOG SPLITTER ROWS 2 LP (120V) MOTOR KC-5LSN cycle time cylinder 20 1/2" x 12" capacity for splittling firewood Can be used Splits logs up to 21" in lengti Log cradle keeps on floor logs from dropping to the ground or bench or maximum 65 HP 4 stroke air cooled OHV engine versatility **20 Ton** OPTIONAL splitting forc STAND SS-5LSN KCG-26LS 10 TON KINETIC FLYWHEEL Fits: KC-5LSN \$69 Quick split 8 second cycle time cylinder LOG SPLITTER Splits logs up to 24' in length Log cradle keeps KC-10LS 1 second cycle time logs from dropping With no hydraulic oil or pump, kinetic flywheel log splitters are much easier to maintain 26 TON/TONNES to the ground Automatic ram retraction leaving your hands free to load the 6.5 HP 4 stroke air next log Hardened steel pinion gear transfers energy from the flywheels UNIVERSAL ANTI-WEAR HYDRAULIC OIL 26 Ton splitting force Splits logs up to 21" long with a diameter up to 12" KW-127 6-1/2" wheels to easily move 850ml around your work space Tile Saws 16" DIGITAL ANGLE **FINDER** 7" PORTABLE TILE SAW KW-400 KC-3003N Digital LCD display indicates precise degree Adjustable cutting table tilts from 0°-45° 1 U. measurements Water reservoir for cooling the blade Comes with adjustable rip fence, V-push block for miter cuts and adjustment keys KC-15CM Powered by a 9V battery · 3.5 cubic feet drum capacity **\$99.**99 24" TILE CUTTER is designed to mix two 60 lbs bags of dry cement or mortar mix with water 7" PORTABLE TILE SAW KC-24TC • Scores and snaps wall and floor tiles KC-3004ST Adjustable cutting table tilts from 0°.45° Increased cutting capacity up to 14" to the right of the blade **1/3**IIP up to 24" straight, 16" tiles diagonally, up to 1/2" thick **2500**FB Dual chrome-plated steel rails offer smooth scoring Comes equipped with a replaceable 16mm tungsten carbide and up to 18" to the left Comes with adjustable rip fence, V-push block cutting wheel for miter cuts and adjustment keys adjustment DRYWALL AND PANEL PORTABLE CLAMPING 14" max rip capacity (right) 18" max rip capacity (left) LIFT **WORKSTATION** 10" SLIDING TILE SAW KDL-11 K-2800 KC-3310TS Hangs drywall in sizes up to Maximum clamping width 38" 4 ft. x 16 ft. on Powerful heavy duty 2.5 HP, 15 Amp. motor with GFCI protected power cord Full coverage wrap around Height of clamping table 31 1/2" any ceiling Maximum clamping force 1metric ton or wall up Folds quickly for storing to 11 ft. Replacement 16mm tungsten cabide cutting wheel splash guards 24" rip capacity at 90 Head tilts 0°-45° for bevel cuts high 13" PROFESSIONAL LAMINATE FLOORING Plunge head **CUTTER** allows controlled cuts for KC-13LCT 25 IIP Cuts a variety of materials, up to 13" wide and 19/32" thick Table miter gauge for angled cuts from 0-45° electrical outlets. Maximum weight \$699.99 drains and AC capacity 220 lbs registers Cuts with 13" H.S.S. knife LOG JAWS ATTACHMENT FOR PORTABLE CLAMPING

13" HSS KNIFE

KW-133 Replacement Blade

WORKSTATION \$19.99

Folding stand with

quick release latch



щини

Handles materials from 5/16" to 1 1/4" thick,

and widths up to 12"

Unit includes 1/2" aluminum template

\$119.99



6-1/2"
VARIABLE
SPEED PLUNGE
CUT TRACK SAW
KC-8365

Powerful 12 Amp. 120V variable
speed "soft-start" motor with
"constant torque" technology
Comes with efficient 1L dust
management system, dust bag,
dust chute, set of carbon brushes
and hex. key with on cord storage

This Plunge Cut Track Saw accepts Makita®, Dewalt®, Kreg® or Festool® 6-1/2" x 20mm arbor blades

OPTIONAL Accessories

50" Track

KW-300 **\$79.**99

Storage Bag
KW-301 \$29.99

Track Connector kit

KW-302 \$29.99

2 Pc. Clamp Kit
KW-303 \$39.99





14" CUT-OFF SAW

- Standard 14" abrasive wheel
- Spark deflector for safe operation
- Ouick release vise for holding workpiece, allows cuts up to a 45° angle

Onboard abrasive wheel wrench storage





VARIABLE SPEED HAND-HELD **BLOWER/VACUUM**

8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM) Trigger lock-on button for continuous
- operation Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag

1/2" IMPACT WRENCH



7.5 Amp. motor Impacts 2700 BPM

Maximum Torque

8311N



180 PC. **ROTARY TOOL ACCESSORY KIT**

Shaft, 135 PC. assorted

8,000 - 30,000 RPM Comes with 40" Flex

accessories & adjustable stand

KW-145

16 PC. 3.6V QUICK SELECT SCREWDRIVER KIT

KIT COMES WITH

8353N

1 x 3.6V Li-ion Screwdriver, 1 x Charger, 2 x Magnetized bit holders, 12 x 1/4" Hex. shank bits (2 x PH1, 2 x PH2,

NEVER LOOSE A SCREWDRIVER BIT AGAIN

The two 6 magnetized bit cartridges keep your most popular bits at hand



\$19.99

10" RANDOM ORBIT POLISHER

Ball Bearing construction

10" Tapered foam applicator pad

KM-030

8369N

Double Insulation

REPLACEMENT APPLICATOR

7" POLISHER/SANDER KIT

Variable speed dial (1,000 - 3,000 RPM) Comes with 7" polishing backing pad, wool bonnet, 7" sanding hook-and loop backing pad,

7" hook-and loop 80 grit sanding paper and wrench

& BUFFING BONNETS KIT



\$9.99

11/16", 3/4", 13/16", and 7/8"

240 /ft.-lbs

Comes with

4 sockets

\$99.99

Double Insulation

1/4" DRYWALL SCREWDRIVER

8315N

- Powerful 5 Amp. motor
- Variable speed control trigger with lock-on button No load speed 0-4,000 RPM
- Comes with two 1/4" Phillips #2 screwdriver bits



12 PC. 4 1/2" ANGLE GRINDER & MULTI-PURPOSE DISC KIT

8208AG 12 pc. kit includes 4-1/2" angle grinder, 2 grinding wheels 5 sanding discs





5" ANGLE DISC GRINDER KIT

8364N

· 8 Amp. motor • 11,000 RPM

Double Insulation



REPLACEMENT 7" SANDING PAPER KIT

KW-111

C KING CANAD

WOOL BONNET KM-090

Powerful 10 Amp. motor

3/8" ELECTRIC **DRILL**

8302N

· 3.3 Amp. motor

• 3/8" Keyless chuck

 Forward/reverse switch · Non-Slip soft grip

1/2" HAMMER DRILL 8309N

- Forward/reverse switch
- · Drill or hammer mode switch · Depth stop gauge for depth drilling









AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-2020A

- •3.8 CFM @ 40 PSI •2.35 CFM @ 90 PSI
- •Extra long pump life of over 3000 hours
- •125 PSI maximum tank pressure

2 GALLON 2 HP (PEAK) (60 Decibels)



ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- •3.80 CFM @ 40 PSI •2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure

4.6 GALLON (2 X 2.3) 2 HP (PEAK) (60 Decibels)



ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-10020SO

- 125 PSI maximum tank pressure • 150 PSI max pressure
- 5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI

10 GALLON 3 HP (PEAK) (64 Decibels)



5 PEAK HP 20 GALLON AIR COMPRESSOR

8498

- Durable oil lubricated pump



ARCTIC FLEX

RETRACTABLE AIR HOSE **REEL WITH HYBRID POLYMER AIR HOSE**



K-5038FRL 50 ft. x 3/8" All-Weather Flexibility (-40°C to 65°C) Comes with wall mounting hardware \$109.⁹⁹

MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE



K-10014FRL 100 ft. x 1/4" All-Weather Flexibility (-40°C to 65°C)

360° swivel base

\$109.99

(-40°C to 65°C)



HYBRID POLYMER INDUSTRIAL AIR HOSES

HYBRID POLYMER INDUSTRIAL AIR HOSES									
K-2514H	25' x 1/4"	\$21.99							
K-2538H	25' x 3/8"	\$29.99							
K-5014H	50' x 1/4"	\$33.99							
K-5038H	50' x 3/8"	\$44.99							
K-10014H	100' x 1/4"	\$54.99							
K-10038H	100' x 3/8"	\$65.99							

300 PSI MAXIMUM PRESSURE

PREMIUM HYBRID POLYMER

GARDEN HOSES K-5058GH 5/8" x 50 ft. 450 PSI (Burst)



K-10058GH 5/8" x 100 ft.

Extreme All-Weather Flexibility Kink resistant

3 GALLON OIL FREE 3 GALLON OIL FREE AIR COMPRESSOR

8438

- 1.0 CFM @ 40 PSI 0.60 CFM @ 90 PSI
- Air pressure regulator and
- easy to read pressure gauges Convenient reset feature

3 US Gallon tank

AIR COMPRESSOR & 2" BRAD NAILER KIT

8438/8200B

Kit includes:

Kit comes with powerful 18 ga. x 2" brad nailer (70-100 PSI) which drives standard 18 ga. brad nails from 5/8" to 2", 1/4" x 25ft. coil air hose, 1/4" female couplers, 1/4" male fitting, tire inflator, air blower, air blower adaptor, inflating nozzle and inflating needle.

2 GALLON AIR COMPRESSOR

8449C

- Durable oil lubricated pump 2.70 SCFM @ 40 PSI 2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure gauges

2 US Gallon tank

2 GALLON AIR COMPRESSOR COMBO KIT

8449C/8200NH25

- Kit includes:
- •1- 1.5 HP air compressor (8449C) •1- 18 gauge x 2" brad nailer kit
- •1-3/8" x 25' air hose 300 PSI (KAH-3825)

5 GALLON TWIN TANK AIR COMPRESSOR

- 3,400 RPM, 13 Amp. motor
- 5.0 CFM @ 40 PSI 4.0 CFM @ 90 PSI

2 air tools

Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to

5 GALLON TWIN TANK AIR COMPRESSOR & BRAD NAILER **COMBO KIT**

8488C/8200NH25

Kit includes:

- •1- 5 gallon air compressor •1- 18 gauge x 2" brad nailer kit (8200B)
- •1- 3/8" x 25' air hose 300 PSI (KAH-3825)



ASME safety valve

ASME safety valve

ASME safety valve

6 COMPRESSOR ONLY

COMBO KIT

COMPRESSOR ONLY

COMBO KIT

COMPRESSOR ONLY

COMBO KIT



PORTABLE & GASOLINE GENERATORS & ACCESSORIES 1800W GASOLINE GENERATOR KCG-1501GX KCG-1501GA • Powerful 3 HP, 4 stroke air cooled motor \$399.99 Duplex Outlet: 120V/11.6 Amp. AC output Terminals: 12V, 8 Amp. DC output AC and DC circuit breakers for safe operation **5100W** GASOLINE GENERATOR WITH WHEEL KIT KCG-5100G Powerful 8 HP, 4 stroke air cooled OHV engine AVR system and electronic ignition

Propane Tank

Not Included

- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets

DUAL FUEL 5100W DUAL/FUE GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-5101GE-DF

- Powerful 8 HP, 4 stroke air cooled motor
 AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets

Comes with propane tank connection cable

6500W GASOLINE GENERATOR WITH ELECTRIC START

KCG-6502GE

- Powerful 10 HP. 4 stroke air cooled motor

- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets for safe operation

10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

Powerful 15 HP, 4 stroke air cooled motor

- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- AC double throw circuit breaker and resets for safe operation

12000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

IDUAL FUEL

Not Included

- Powerful 18 HP, 4 stroke air cooled motor
 AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet:120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets

12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets

Comes with propane tank connection cable



KCG-15000GE

Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled OHV engine

• AVR system and electronic ignition

• Two duplex outlets: 120V/20 Amp. AC

- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
 AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset



GASOLINE DIGITAL INVERTER GENERATORS

Powerful 3 HP

OHV engine

4 stroke air cooled

KCG-2001i

- Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics
- Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered equipment

DC Cigarette Lighter Socke 12V/8 Amp DC output

AC Duplex Outlet: 120V/ 13.3 Amp AC output **\$699.**99

KCG-4500i

- Sine wave digital inverter generator provides stable current to power
- voltage-sensitive electronics DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output

Powerful 8 HP, 4 stroke air cooled

Remote

2000W

4,5(0)(0)(0)

GENERATOR HOME CONNECTION KIT K-X7500 Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)

K-L1430R-25 Extension cord length: 25 feet

Gauge (AWG)/Cord: Resets

K-L1430-25-4T Extension cord length: 25 fee
Gauge (AWG)/Cord: Lighted 10 (SJTW 4/C)

K-L1430-25EXT Extension cord length: 25 feet Gauge (AWG)/Cord:



50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R Female receptacle with lighted end K-1450P-2 Cord length: 1.5 feet

K-1450P-2

Gauge (AWG)/Cord: 10 (SJTW 4/C)



GASOLINE WATER PUMPS

- 92' Total head lift (total height at sea level, to which water can be raised above original water level) Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 4 hose adaptors, 4 rubber gaskets, strainer basket and strainer

Easy start recoil starter



4 stroke air cooled OHV engine





WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor CLEAR PVC REINFORCED SUCTION FLAT PVC DISCHARGE HOSES

KW-252 2" X 25 ft **\$119**.99 KW-253 3" X 25 ft

\$199.99



KW-502 2" X 50 ft KW-503 3" X 50 ft







KSB-20









12" x 18" VARIABLE SPEED WOOD LATHE KWL-1218VS

Reliable single board computer microprocessor for precise control

 Spindle size: 1" x 8 TPI
 Comes complete with 3" faceplate, 6" & 12" tool rests with 5/8" post diameter, MT#2 spur centre andMT#2 heavy- duty live centre, knock-out rod, tool storage rack 1 HP high safety goggles, screwdriver and performance 4 hex. keys



G3 PEN TURNING CHUCK BUNDLE KIT (3-1/2")

48265C

Direct Threaded 1"x 8TPI RH/I H KIT INCLUDES:

G3 Reversible Chuck, 50mm/2"Jaws, Pen Plus Jaws, Mandrel Saver, T-bar chuck key, Woodworm screw and fastenings

G3 REVERSIBLE CHUCK KIT (3-1/2") 48232C Direct Threaded 1"x 8TPI RH/LH.

KIT INCLUDES: G3 Reversible Chuck. 50mm/2"Jaws, T-bar chuck key,

Woodworm screw and fastenings



nova 63

DC motor

NOVA G3 WOOD LATHE CHUCK nova 63 **ANNIVERSARY BUNDLE**

48260

• 3-3/8" 4 jaw chuck • 1" x 8 TPI

 20, 50 & 100mm and Mini Cole jaw sets No chuck insert required

Fits: KWL-1016C, KWL-1218VS, KWL-1443VS



4 JAW /4" WOOD LATHE CHUCK

KW-100 Fits models: KWL-1016C KWL-1218VS & KWL-1443VS

CHISEL SET KPRO-08 Long 10" hard wood handles Comes in a

8 PC. WOOD LATHE





EXTENDABLE UNIVERSAL **MOBILE BASE** KMB-1250





KING



ABRASIVE

CLEANER

K-1306





1/2" spindle, 5 drums (3/4", 1", 1-1/2", 2", 3"), 6 sanding sleeves (1/2", 3/4", 1", 1-1/2", 2", 3"-80 Grit), 6 table inserts, washers and adjustment wrench

\$199.99



6" STICK-ON ADHESIVE DISCS				4"x 36" SANDING BELTS					
Model	Disc size	Grit	Units/Kits	Price	Model	Belt Size	Grit	Units/Kits	Price
SD-6-K-60	6"	60	3	\$6.99	SB-436-K-60	4"x36"	60	2	\$7.99
SD-6-K-80	6"	80	3	\$6.99	SB-436-K-80	4"x36"	80	2	\$7.99
SD-6-K-100	6"	100	3	\$6.99	SB-436-K-100	4"x36"	100	2	\$7.99
SD-6-K-120	6"	120	3	\$6.99	SB-436-K-120	4"x36"	120	2	\$7.99

COMPOUND MITER SAWS

10" COMPOUND MITER SAW WITH LASER 8324NS

15 Amp. motor, 4,800 RPM Rotating table has 9 position stops at 0°, 15°, 22.5°, 30° and 45° right and left Comes complete with 80 tooth carbide blade, extension Enhanced wings, 2 position hold down vise, dust bag and arbor wrench

10" SLIDING DUAL COMPOUND MITER SAW WITH TWIN LASER 8385NS

15 Amp. motor, 4,800 RPM Dual compound cuts miter and bevel up to 45° left and right Comes with

retractable extension wings, vertica hold down vise, and dust bag

> **E**nhance Twin Laser **Fffect**

> > Includes 10"

12" SLIDING DUAL COMPOUND

MITER SAW WITH TWIN LASER 8390NS

- 15 Amp. motor 4.200 RPM belt drive motor
- Dual compound cuts
- bevel) up to 45°left & right Comes
- with dust bag, extension bars and table vise



Includes 12" carbide blade

UNIVERSAL FOLDING MITER SAW STANDS

Includes 10"

carbide blade



9" WOOD **BANDSAW** WITH LASER KC-902C

- Laser guide system indicates the cut line for reliable
- cuts every time 0° to 45° square tilting table Comes with blade, miter gauge, rip fence, work light nhanced and light bulb

59 1/2" WOOD CUTTING BANDSAW BLADES Model | Length | Width | TPI | Thickness | Price 59 1/2" 1/4" 6 .014' \$22.99 KBB-9-6 59 1/2" 3/8" KBB-9-8 .014 \$22.99 18

10" WET/DRY SHARPENER KIT KC-4900S

Heavy-duty 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening



OPTIONAL

4 pc. Accessory Kit KM-130 (Short knife jig, long knife jig,scissors jig & axe jig)



We reserve the right to limit quantities. We reserve the right to correct any typographical and pictorial errors without notice. Articles may vary from illustration shown. Some retailers may not stock all products due to space restrictions and product availability

BENCH GRINDERS

KC-690 •3.5 Amp. motor •3500 RPM

\$169

KC-890 •7 Amp. motor •3450 RPM

KC-895LS •7 Amp. motor •1750 RPM



ELECTRIC

KC-3900S

SHARPENER

\$89.99

GRINDER

STAND

SS-150

32 3/4" high