



PRODUCT CATALOG



PROTECT YOURSELF / 1-866-SAWSTOP / SawStop.com

February 2023

SawStop: A Small Company with a Big Idea

More than 20 years ago, a physicist and passionate woodworker had an idea to make a safer table saw. The result was innovation that changed woodworking forever – a patented safety system that stops the spinning blade on contact with skin.

With this new technology in place, we wanted to set a new standard for what a table saw should be. While others relied on 40-year-old designs, our engineers seized the opportunity to bring saw design, build, and quality into a new era. A saw that is engineered from the ground up to deliver unmatched accuracy, durability, and power. No compromises. From the heaviest, most powerful 10" Industrial Cabinet Saw, to the portable Compact Table Saw, SawStop has a table saw to fit any woodworker's needs. With hundreds of thousands of saws sold, we have made a huge impact on the cast iron market and we are going to do it again with portable saws.



SawStop



SawStop



SawStop

SAWSTOP SAFETY

A table saw accident happens once every nine minutes in North America. SawStop's revolutionary safety system reduces what could be a potentially life-changing injury into a scratch by stopping the spinning blade on contact with skin.



See the safety system in action:



HOW IT WORKS

DETECT

- The blade carries a small electrical signal.
- When skin contacts the blade, the signal changes because the human body is conductive.
- The change to the signal activates the safety system.




STOP

- An aluminum brake springs into the path of the blade.
- The blade comes to a complete stop and power to the motor is shut off.



DROP

- After the blade comes to a stop, the blade's angular momentum drives it beneath the table, removing the risk of subsequent contact.
- All of this happens in less than 5 milliseconds.



RESET

- Resetting the saw yourself is easy. Simply inspect the blade (and change if damaged) and replace the brake cartridge. Then your saw is operational.
- The entire process takes as little as 90 seconds and you're back to work.



INDUSTRIAL CABINET SAW / ICS™



ICS31230-52

HEAVY-DUTY PRECISION.

The Industrial Cabinet Saw is the definition of industrial grade. It is the heaviest, most powerful 10" cabinet saw available.

Strength and Stability

The Industrial Cabinet Saw is nearly 700 lbs of iron and steel – built for heavy-duty cycles with maximum stability and precision.

Dust Collection


99% dust collection is delivered above the table with the included Dust Collection Blade Guard, and below the table with advanced shrouding around the blade.

Industrial Quality

The heavy-duty arbor shaft and bearings are built to withstand heavy duty-cycle environments, and the poly V-ribbed belts provide better torque and less vibration.

Added Safety

The ICS has an interrupt switch on access doors as well as an integrated Lock-Out Tag-Out switch that cuts power to the saw ensuring that only authorized users can operate the saw.



PRODUCT SPECS

Motor Options

3.0HP - 1ph, 230V, 13A

5.0HP - 1ph, 230V, 19.7A
3ph, 230V, 12A
3ph, 480V, 5.8A

7.5HP - 3ph, 230V, 17.8A
3ph, 480V, 9A

Fence & Rail Options

36" T-Glide Fence, Rails & Table
69 1/2" w x 36 1/2" d x 34" h **635 lbs** (may vary w/ motor)

3.0HP, 1ph, 230V - ICS31230-36

5.0HP, 1ph, 230V - ICS51230-36

5.0HP, 3ph, 230V - ICS53230-36

5.0HP, 3ph, 480V - ICS53480-36

7.5HP, 3ph, 230V - ICS73230-36

7.5HP, 3ph, 480V - ICS73480-36

52" T-Glide Fence, Rails & Table
85 1/2" w x 36 1/2" d x 34" h **685 lbs** (may vary w/ motor)

3.0HP, 1ph, 230V - ICS31230-52

5.0HP, 1ph, 230V - ICS51230-52

5.0HP, 3ph, 230V - ICS53230-52

5.0HP, 3ph, 480V - ICS53480-52

7.5HP, 3ph, 230V - ICS73230-52

7.5HP, 3ph, 480V - ICS73480-52

Available Accessories

- Mobile Base
- Dust Collection
- Router Table
- Outfeed Table
- Sliding Tables
- And More...

Full info on pages 8-12

PROFESSIONAL CABINET SAW / PCS™



PCS31230-TGP236

BEST-IN-CLASS PERFORMANCE.

The Professional Cabinet Saw is our best selling cabinet saw, offering unmatched fit and finish and best-in class cutting performance.

Secure & Accurate

36" and 52" T-Glide Fence options are made of heavy-gauge steel for sure lock-down and reliably square cutting. A 30" Premium T-Style Fence is also available.

99% Dust Collection

99% dust collection is delivered above the table with the available Dust Collection Blade Guard (TSG-DC, sold separately for 1.75hp models), and below the table with advanced shrouding around the blade.

Built To Last

A heavy-weight trunnion unlike any on the market, with the thickest arbors of any 10" saws. True vertical trunnion travel, with gas-piston assist for ease of operation. Durable, open gearing for minimal dust compaction and easy operation.

Mobility Options

Two compatible bases, the Professional Integrated Mobile Base and the Industrial Mobile Base w/PCS Conversion Kit, make it quick and easy to move your saw around your shop.



PRODUCT SPECS

Motor Options

1.75HP - 1ph, 120V, 14A

3.0HP - 1ph, 230V, 13A

Available Accessories

- Mobile Bases
 - Dust Collection
 - Router Table
 - Outfeed Table
 - Sliding Tables
 - And More...
- Full info on pages 8-12

Fence & Rail Options

30" Premium T-Style Fence, Rails & Table

61 3/4" w x 31 1/8" d x 34" h

1.75HP: 367 lbs - PCS175-PFA30

3.0HP: 380 lbs - PCS31230-PFA30

36" T-Glide Fence, Rails & Table

69 1/8" w x 33" d x 34" h

1.75HP: 408 lbs - PCS175-TGP236

3.0HP: 426 lbs - PCS31230-TGP236

52" T-Glide Fence, Rails & Table

85 1/2" w x 33" d x 34" h

1.75HP: 431 lbs - PCS175-TGP252

3.0HP: 449 lbs - PCS31230-TGP252

CONTRACTOR SAW / CNS™



CNS175-SFA30

UNIVERSAL PERFORMANCE.

The Contractor Saw offers versatility, reliability and safety for a variety of users.

Configurability

Over 150 unique configurations, makes the Contractor Saw the most configurable SawStop saw. Adding a mobile base, sliding crosscut table or router table, are just a few of the ways to make this your ideal saw.



Secure & Accurate

36" and 52" T-Glide Fence Assembly options are made of heavy-gauge steel for sure lock-down and reliably square cutting. A 30" Aluminum Extrusion Fence System is also available.




Wing Options

The premium stamped steel wings are part of every Contractor Saw's base configuration. Upgrade to the cast iron wings for better-than-hybrid performance in the shop at an affordable price.



Blade Guards

The MicroGuard provides great blade protection while maximizing access and flexibility. Upgrade to the Dust Collection Blade Guard (TSG-DC) for above-table dust extraction.



PRODUCT SPECS

Motor Option

1.75HP - 1ph, 120V, 14A

Fence & Rail Options

30" Aluminum Extrusion Fence & Rails
58 1/2" w x 40" d x 34 3/4" h 245 lbs - CNS175-SFA30

36" T-Glide Fence, Rails & Table
69 1/8" w x 45" d x 34 3/4" h 310 lbs - CNS175-TGP236

52" T-Glide Fence, Rails & Table
85 1/2" w x 45" d x 34 3/4" h 335 lbs - CNS175-TGP252

Available Accessories

- Mobile Base
- Dust Collection
- Router Table
- Cast Iron Wings
- Sliding Table
- And More...

Full info on pages 8-12

“...having a tool of this quality legitimately lets me improve my skill in the shop.”

Adam B. *SawStop Owner*

Visit SawStop.com/Testimonials to see what other SawStop owners are saying about their saws.

INDUSTRIAL DESIGN

- Bigger hand wheels
- Larger metal motor access door
- Second access door

HIGH CYCLE ENVIRONMENTS

- 200+ more pounds of cast iron and steel
- Thicker and deeper cast iron table
- Thicker gauge steel
- Larger and deeper T-Glide fence
- Massive cast iron trunnion

MAXIMIZE SAFETY AND QUALITY

- Lock-out/tag-out switch
- Interrupt switch on access doors
- Available 5.0 & 7.5HP motors
- 5-year motor warranty



FENCE SYSTEMS

The SawStop fence systems give you accurate, repeatable results.

The top of the line T-Glide Fence and Rail are made of heavy gauge steel for sure lockdown and reliably square cutting for years without deflection.

- 1 30" ALUMINUM EXTRUSION FENCE
- 2 30" PREMIUM T-STYLE FENCE
- 3 36"/ 52" PROFESSIONAL T-GLIDE FENCE
- 4 36"/ 52" INDUSTRIAL T-GLIDE FENCE



JOBSITE SAW PRO / JSS™



JSS-120A60

PROS NEVER STOP.

The SawStop Jobsite Saw Pro unites SawStop safety and pioneering innovation with compact portability.

PRODUCT SPECS

Motor - 1.5 HP, 120 VAC 60 Hz, Universal

Max. Depth of Cut, Blade at 0° - 3-1/8"

Max. Depth of Cut, Blade at 45° - 2-1/8"

Max. Rip Capacity - 25-1/2"

Table Dimensions - 31-1/4" W x 24-5/8" D

Amperage - 15A

No Load RPM - 4,000

Blade - 10" Standard, (8" Dado compatible)

Weight (with cart) - 113 lbs.

Accessory Storage

Find the Active Dust Collection Guard, riving knife, miter gauge and more, all protected and ready for quick use in the onboard storage drawer.

T-Style High/Low Fence

The Jobsite Saw T-Style Fence slides smooth and locks firm with one touch. Extend the On-Demand shelf for extra support, and use the low fence for safer cutting of low-profile pieces.

Easy Mobility

Simple, intuitive foot pedal extends the mobile cart for use and collapses the cart for transport. Large 8" multi-terrain wheels are ideal for the variable surfaces of a job site.

Active Dust Collection Guard

The included Active Dust Collection Guard captures above table dust particles, and the attached splitter and anti-kickback pawls also help to protect against kickback.

COMPACT TABLE SAW / CTS™



CTS-120A60

SAFETY UNLEASHED.

The freedom to work safely and accurately on any site makes the Compact Table Saw a must-have for any professional.

PRODUCT SPECS

Motor - 120 VAC 60 Hz, Universal

Max. Depth of Cut, Blade at 0° - 3-1/8"

Max. Depth of Cut, Blade at 45° - 2-1/8"

Max. Rip Capacity - 24-1/2"

Table Dimensions - 23" W x 22-5/8" D

Amperage - 15A

No Load RPM - 4,000

Blade - 10" (not compatible with Dado blades)

Weight - 68 lbs.

Quick Tilt

Quickly and easily tilt the blade to your ideal angle. Further fine tune with the micro-tilt adjust feature.

Rack & Pinion Fence

Easy to adjust or remove and always square, the rack & pinion fence has a built-in high and low shelf to support all types of cuts.

Portable Durability

Heavy-duty construction, that's built to last, provides the stability you need for smooth cuts on the job site. The compact size and carry handle make the CTS easy to transport.

Accessory Storage

Everything in its place: Stow away tools and accessories in one location for easy retrieval.

Optional Folding Stand Available (See pg. 8)

DUST COLLECTION

Workshop safety goes beyond the blade on your saw. Wood dust is classified by the CDC as a combustible carcinogen. SawStop dust collection solutions help to keep your shop safe and improve air quality.



FLOATING OVERARM DUST COLLECTION GUARD

TSG-FDC

Heavy-duty overarm designed to provide operator protection while removing table-top dust in both standard and non-through cuts.

Includes:

- 4" Swinging Dust Tube
- Adjustable Blade Guard

Compatible With:

- Sliding Crosscut Table TSA-SA48
- Large Sliding Table TSA-SA70
- Folding Outfeed Table TSA-FOT
- In-Line Router Tables (left-install only) RT-TGI/RT-TGP
- Industrial Mobile Base MB-IND-000/MB-PCS-IND
- Not compatible with 30" fence systems



OVERARM DUST COLLECTION

TSA-ODC

Remove dust up and out of the way. Maximize the potential of your Dust Collection Blade Guard.

Includes:

- 1-1/2" Diameter Dust Tube
- Y into 4" Collection Port
- Dust Collection Blade Guard (TSG-DC) is Required and Not Included on Some Models

Compatible With:

- Sliding Crosscut Table TSA-SA48
- Large Sliding Table TSA-SA70
- Folding Outfeed Table TSA-FOT
- In-Line Router Tables RT-TGI/RT-TGP
- All Mobile Bases
- Not compatible with 30" Contractor Saw

MOBILE BASES & STANDS

INDUSTRIAL MOBILE BASE

Industrial Mobile Base for PCS / MB-PCS-IND

The easiest, smoothest-moving base available for the Professional Cabinet Saw featuring 1,000 lb capacity, high-performance hydraulic lift, and 4 industrial 360° casters.

Industrial Saw Mobile Base / MB-IND-000

Ideal for industrial environments as well as home shops or garages, the Industrial Mobile base was engineered to easily move the Industrial Cabinet Saw with ease. Features 1,000 lb capacity, high-performance hydraulic lift, and 4 industrial 360° casters.

PROFESSIONAL INTEGRATED MOBILE BASE

MB-PCS-000

Designed to smoothly move your SawStop Professional Cabinet Saw on any flat surface with the easy step of the lift pedal.

CONTRACTOR SAW MOBILE BASE

MB-CNS-000

Designed to smoothly move your SawStop Contractor Saw on any flat surface with an easy step of the lift pedal.

FOLDING STAND FOR COMPACT TABLE SAW

CTS-FS

Supports Compact Table Saws to provide an ergonomic workstation at any job site while collapsing for easy transport.



SLIDING TABLES



SLIDING CROSSCUT TABLE

TSA-SA48

Engineered to deliver easy, repeatable, accurate results with smooth operation. Optimized to fit SawStop cast iron saws.

Features Include:

- Depth: 47 1/4", Travel: 55", Crosscut Capacity: 48"
- Extruded Aluminum Fence
- Two Flip Stops
- Oversized Miter Gauge with Miter Detents at 15 Degree Intervals
- Adjustable Leveling Feet

Compatible With:

- Folding Outfeed Table TSA-FOT
- Overarm Dust Collection TSA-ODC
- Floating Overarm Dust Collection Blade Guard TSG-FDC
- In-Line Router Tables RT-TGI/RT-TGP (right-install only)
- All Mobile Bases



LARGE SLIDING TABLE

TSA-SA70

Engineered for the demands of the industrial woodshop. Delivers easy, repeatable operation for cutting sheet goods and larger stock.

Features Include:

- Table Dimensions: 30" x 30 1/2"
- Travel: 71 1/2"
- Crosscut Capacity: 70"
- Steel Construction
- 14 Sealed Steel Bearings
- Aluminum Fence
- Flip Stop

Compatible With:

- Folding Outfeed Table TSA-FOT
- Overarm Dust Collection TSA-ODC
- Floating Overarm Dust Collection Blade Guard TSG-FDC
- In-Line Router Tables RT-TGI/RT-TGP (right-install only)
- Not compatible with Contractor Saw or Mobile Bases

OUTFEED TABLE



FOLDING OUTFEED TABLE

TSA-FOT

Sized to match the width of your cast iron table and wings. Easy adjustability. Quickly stows when not in use or to regain additional floor space.


Features Include:

- Powder Coated Steel Construction
- Stamped Steel Support Plate
- Three Roller Bars
- 250 lb Capacity
- Adjustable Leveling Feet

Compatible With:

- Sliding Crosscut Table TSA-SA48
- Large Sliding Table TSA-SA70
- Floating Overarm Dust Collection Blade Guard TSG-FDC
- Overarm Dust Collection TSA-ODC
- In-Line Router Tables RT-TGI/RT-TGP
- All Mobile Bases
- Not compatible with Contractor Saw

ROUTER TABLES



IN-LINE ROUTER TABLES*

In-Line Router Table for CNS and PCS / RT-TGP

(Router-Ready Rails Required, Filler Table or Intermediate Cast Iron Wing Recommended)

Includes:

- 27" x 16" Cast Iron Table
- 27" Fence
- Two Support Legs
- Power Switch
- Router Bit Safety Guard

Compatible With:

- Professional Cabinet Saw between rails (RT-Ready Rails) on 36" or 52" saws or left-install on 30", 36" or 52" saws
- Contractor Saw left-install with Cast Iron Wings CNS-CIWA
- Industrial Mobile Base for PCS MB-PCS-IND

In-Line Router Table for ICS / RT-TGI

(Router-Ready Rails Required, Filler Table Recommended)

Note: No filler table available for 36" T-Glide Fence assembly.

Includes:

- 30" x 16" Cast Iron Table
- 32" Fence
- Two Support Legs
- Power Switch
- Router Bit Safety Guard

Compatible With:

- Industrial Cabinet Saw between rails (RT-Ready Rails) or left-install
- Industrial Mobile Base MB-IND-000

Recommended:

- Router Lift RT-LFT
- Downdraft Dust Collection Box RT-DCB
- Flip Stop RT-FLS
- Double Horizontal Feather Board RT-HFD
- Single Vertical Feather Board RT-VFS
- Stock Guide for Router Fence RT-STP



ROUTER LIFT

RT-LFT

Built for heavy-duty precision. Delivers easy above-table elevation measurement and optimized for SawStop Router Tables.

Features Include:

- Synchronized Chain Drive
- Heavyweight Parts
- 9 1/2" x 11 3/4" Plate
- Lock Tool
- Insert Ring Tool
- Fits 4.20" routers. Reduction Collars for 3 1/4" and 3 1/2" Diameter Routers

Compatible With:

- Standalone Router Table RT-FS
- In-Line Router Tables RT-TGI/RT-TGP
- Downdraft Dust Collection Box RT-DCB
- Not compatible with plunge routers

Recommended:

- 4 Pc. Phenolic Zero-Clearance Insert Ring Set RT-PZR
- 4 Pc. Phenolic Insert Ring Set RT-PIR
- 9 Pc. Brass Precision Template Guide Set RT-TGS



STANDALONE ROUTER TABLE*

RT-FS

The router table features a multi-adjustment fence with superior dust extraction, broad accessory compatibility, and a powder-coated steel stand.

Includes:

- 32" x 24" Cast Iron Table
- 32" Fence
- Steel Floor Stand: 35 1/2" h
- 2 1/2" Dust Port
- Power Switch
- Router Bit Safety Guard

Recommended:

- Router Lift RT-LFT
- Downdraft Dust Collection Box RT-DCB
- Double Horizontal Feather Board RT-HFD
- Single Vertical Feather Board RT-VFS
- Flip Stop RT-FLS
- Stock Guide for Router Fence RT-STP

*Product image includes accessories that are not standard equipment, but sold separately.

ADD-ONS

BLADE GUARD

Dust Collection Blade Guard / TSG-DC

The Dust Collection Blade Guard redirects dust away from the table while still protecting users from the blade and reducing the chances of kickback. For cast iron saws only.



INSERTS

Standard Zero Clearance Insert for CTS / CTS-TSI

Zero clearance for accurate cuts and reduced tear-out when using 10" blades

Standard Zero Clearance Insert for JSS / TSI-SJB

Zero clearance for accurate cuts and reduced tear-out when using 10" blades

Dado Zero Clearance Insert for JSS / TSI-DJB

Zero clearance for accurate cuts and reduced tear-out with 8" dado blades

Standard Lock Down Insert for Cast Iron Saws / TSI-SLD

Zero clearance for accurate cuts and reduced tear-out when using 10" blades

Dado Lock Down Insert for Cast Iron Saws / TSI-DLD

Zero clearance for accurate cuts and reduced tear-out with 8" dado blades



BRAKE CARTRIDGES

Standard Brake Cartridge / TSBC-10R3

The Standard Brake Cartridge stops the spinning blade on contact with skin reducing the chances of a catastrophic injury. For use with 10" blades.

Dado Brake Cartridge / TSDC-8R3*

The Dado Brake Cartridge stops the spinning blade on contact with skin reducing the chances of a catastrophic injury. For use with 8" dado blades.



EXTENSION WINGS

Two Cast Iron Wings / CNS-CIWA

Improve the look and stability of your SawStop Contractor Saw. Engineered to align perfectly with saw's table, rails and extension table.



DUST COLLECTION PANEL

CNS-DCP

A versatile dust collection system that fits 2.5" and 4" dust collection systems. Quick and easy to install. For use on the Contractor Saw.



* Indicates product is not compatible with the Compact Table Saw

BLADES

TITANIUM SERIES BLADES

10" 40-Tooth Blade / BTS-R-40ATB

A premium, precision balanced, fully tensioned and heat treated multi-purpose 40-tooth blade for both rips and cross cuts on a variety of softwoods and hardwoods

10" 80-Tooth Blade / BTS-P-80HATB

A premium, precision balanced, fully tensioned and heat treated 80-tooth blade for cutting plywood, melamine and MDF, as well as cross cutting hardwoods when a clean cut is required.



CARBIDE-TIPPED BLADES

10" 24-Tooth Blade / BTS-R-24ATB

General purpose blade ideally suited for ripping softwoods and hardwoods

10" 40-Tooth Blade / CNS-07-148

A high-quality, carbide-tipped, 40-tooth every day blade for rips on a variety of woods.

10" 60-Tooth Blade / CB104 184

A high-quality, carbide-tipped, 60-tooth blade for precision cross cuts on soft and hard wood.



DADO BLADE SET

8" Premium Dado Set / BTS-DS8-2402*

Precision flat-ground chippers for dead flat dado bottoms—includes 6 shims for precise dado width adjustments.



Includes (2) 24-tooth blades, (5) 4-tooth chippers, and (6) shims



* Indicates product is not compatible with the Compact Table Saw

DOES THIS WORK WITH MY SAWSTOP?

Use our online Build and Price tool to check compatibility with your current setup or build your dream configuration. Then save, print, or share the results, and find a dealer to order your new saw.



- Start with the base model of your choice.
- Configure your saw using the drop-down options on the side of the screen.
- Watch as your saw build updates with each selection
- See which options are compatible





YOU ARE AT RISK

**1 Injury Every 9 Minutes
10 Amputations Every Day**



Typical SawStop finger save.

**Thousands of fingers saved.
And counting...**

**PROTECT YOURSELF | SawStop.com | 1-866-SAWSTOP
(729-7867)**