# Think KING when RENOVATING









NEW \$379.99



# **8 GALLON OIL-FREE**

#### VARIABLE SPEED RECIPROCATING **\$64**.99 Powerful

Variable speed 0-2900 SPM 7.5 Amp. motor

**SAW KIT** 

8354N

Tool-less blade clamp system Accepts standard 1/2" shank blades

Comes with a wood cutting blade and metal cutting blade



#### 8307N • Durable steel shoe with depth adjustment and adjustable bevel

stops at 0° and 45° Comes with 24 tooth carbide

tipped blade. arbor hex. key and adjustable edge guide

#### 10" SLIDING COMPOUND MITER SAW WITH TWIN LASER

7 1/4" 12 AMP. CIRCULAR SAW

Rotating table has 9 positive stops at 0°, 15°, 22.5°, 30° and 45° right and left Comes complete with a 2 position







Includes 10" carbide blade

1/4" universal "one touch" quick connect coupler

Air filter enclosed in metal case

**8478**• 2 HP (peak)
120V motor

5.0 SCFM @ 40 PSI

4.0 SCFM @ 90 PSI





\$69.99

3.5 PEAK HP/5 GALLON (US)/20 LITERS



10" JOBSITE SAW WITH .....

#### LOG SPLITTERS

#### HORIZONTAL/VERTICAL GAS LOG SPLITTERS



to the ground 65 HP 4 stroke air cooled OHV engine

KCG-20LS
• Quick split 8 second

cycle time cylinder

Log cradle keeps logs from dropping

in length

Splits logs up to 21"

\$1399.99

#### KCG-26LS

- · Quick split 8 second cycle time cylinder
- Splits logs up to 24'
- Log cradle keeps logs from dropping to the ground

6.5 HP 4 stroke air cooled OHV engine

UNIVERSAL ANTI-WEAR HYDRAULIC OIL KW-127N

\$12.99 1 Liter



#### Tile Saws

#### 7" PORTABLE TILE SAW

#### KC-3003N

- Adjustable cutting table tilts from 0°-45°
- Water reservoir for cooling
- cuts and adjustment keys

the blade Comes with adjustable rip fence, V-push block for miter **2/3HP** \$99.99

#### 7" PORTABLE TILE SAW

#### KC-3004ST

- Adjustable cutting table tilts from 0°-45°
- tills from U\*-45°
  Increased cutting
  capacity up to 14" to
  the right of the blade
  and up to 18" to the left
  Comes with adjustable
  rip fence, V-push block
  for miter cuts and adjustment keys adjustment



#### 10" SLIDING TILE SAW

#### KC-3310TS

- 15 Amp. motor with GFCI protected power cord Full coverage wrap around
- for bevel cuts

Plunge head allows controlled cuts for electrical outlets, drains and AC registers



#### 16" DIGITAL ANGLE **FINDER**

#### KW-400

Digital LCD display indicates precise degree 1 1 0· measurements

\$45.

Powered by a 9V battery

## 24" TILE CUTTER

- KC-24TC Scores and snaps wall and floor tiles up to 24" straight, 16" tiles diagonally, up to 1/2" thick
- Dual chrome-plated steel rails offer

smooth scoring
Comes equipped with a replaceable
16mm tungsten carbide cutting wheel



#### 13" PROFESSIONAL LAMINATE FLOORING CUTTER

#### KC-13LCT

- Cuts a variety of materials, up to 13" wide and 19/32" thick
- Table miter gauge for angled cuts from 0-45°



# PORTABLE

#### KC-15CM

3.5 cubic feet drum capacity is designed to mix two 60 lbs bags of dry cement or mortar mix with water

\$279.99

#### **DRYWALL AND PANEL LIFT**

KDL-11 Hangs drywall in sizes up to 4 ft. x 16 ft. on any ceiling or wall up to 11 ft. high



#### 1/4" DRYWALL **SCREWDRIVER**

8315N

- Powerful 5 Amp. motor No load speed 0-4.000 RPM
- Forward/reverse switch
- Variable speed control trigger with lock-on button





KBB-8376-BM-1418 44 7/8" 1"

14-18 .020'

\$24.99

# 1/2" DRILLING & MIXING KIT KC-8316 • 0 - 600 RPM - 9 Amp. motor • Variable speed trigger with safety button to prevent accidental starts • Double gear reduction for added torque • Rear D-handle rotates 360° • Comes with 1/2" chuck, 3 galvanized mixing paddles (10mm hex. shank), wrench and sturdy carrying case







#### 3/8" ELECTRIC DRILL 8302N · 3.3 Amp. motor • 3/8" Keyless chuck Forward/reverse switch Non-Slip soft grip

#### 1/2" HAMMER DRILL 8309N

- Forward/reverse switch
- Drill or hammer mode switch
- Depth stop gauge for depth drilling

\$65.



# **14"**CUT-OFF SAW

- Standard 14" abrasive wheel
- Spark deflector for safe operation Quick release vise for holding
- workpiece, allows cuts up to a 45° angle

Onboard abrasive wheel wrench storage







# 16 PC. 3.6V QUICK SELECT SCREWDRIVER KIT

9136
KIT COMES WITH
1 x 3.6V Li-ion Screwdriver, 1 x Charger,
2 x Magnetized bit holders, 12 x 1/4" Hex.
shank bits (2 x PH1, 2 x PH2,
2 x PH3,2 x S1, 2 x S2, 2 x 6mm Flat)

8208AG

12 pc. kit includes

5 sanding discsRubber wheel

Spindle lock nut

Wire wheel

Pin wrench

\$39.99

• 4-1/2" angle grinder • 2 grinding wheels (1/8" and 1/4")

**NEVER LOOSE A** SCREWDRIVER BIT AGAIN

The two 6 magnetized bit cartridges keep your most popular bits at hand

12 PC. 4 1/2" ANGLE GRINDER & MULTI-PURPOSE DISC KIT



8301

**Ball Bearing** construction 10" Tapered

foam applicator pad

Double Insulation



#### KM-030 \$9.99

#### 7" POLISHER/SANDER KIT 8369N



Variable speed dial (1,000 - 3,000 RPM)
Comes with 7" polishing backing pad, wool
bonnet, 7" sanding hook-and loop backing pad,
7" hook-and loop 80 grit sanding paper and wrench



#### **REPLACEMENT 7"** SANDING PAPER KIT

KW-111

\$9.99

REPLACEMENT WOOL BONNET KM-090

\$15.99

# OSDSE Compact hand held plunge saw can cut wood, plastic,ceramic tile, aluminum and even sheet metal Make plunge cuts up to 1-1/8" Worm-drive power transmission system for

3 1/2" MINI PLUNGE SAW KIT

greater cutting power Comes complete with 3 blade set (24 tooth carbide tipped blade, segmented diamond blade and 80 tooth HSS blade) dust extraction hose, edge guide and blade changing hex. kev KIT COMES IN STURDY

**\$119**.99 KW-3503 REPLACEMENT HSS BLADE \$14.99 \$14.99

#### VARIABLE SPEED HAND-HELD **BLOWER/VACUUM**

#### 8317

8335L

• 116 CFM, max air speed 195 km/h (121 mph) Variable speed (6,000-14,000 RPM)

Trigger lock-on button for

continuous operation Comes complete with soft flexible rubber blower nozzle and a vacuum

dust bag Vacuum mode





8364N

· 8 Amp. motor • 11,000 RPM



Double Insulation



Double Insulation





# AIR COMPRESSORS

# **ULTRA-QUIET OIL-FREE AIR COMPRESSORS**

# ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-2020A

- •3.8 CFM @ 40 PSI
- •2.35 CFM @ 90 PSI
- •Extra long pump life of over 3000 hours
- •125 PSI maximum tank pressure

2 GALLON 2 HP (PEAK) (60 Decibels)





# ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- •3.80 CFM @ 40 PSI •2.35 CFM @ 90 PSI
- •Extra long pump life of over 3000 hours
- •120 PSI maximum tank pressure



# ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-10020SQ

- 125 PSI maximum tank pressure
- 150 PSI max pressure
- 5.6 CFM @ 40 PSI • 4.4 CFM @ 90 PSI

10 GALLON 3 HP (PEAK) (64 Decibels)



\$499.99

#### ARCTIC FLEX

#### RETRACTABLE AIR HOSE **REEL WITH HYBRID POLYMER AIR HOSE**



K-5038FRL 50 ft. x 3/8" All-Weather Flexibility (-40°C to 65°C) Comes with wall mounting

hardware

\$109.99

#### MANUAL AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE**



K-10014FRL 100 ft. x 1/4" All-Weather Flexibility (-40°C to 65°C) 360° swivel base

\$109.99

(-40°C to 65°C)



#### HYBRID POLYMER INDUSTRIAL AIR HOSES

HYBRID POLYMER INDUSTRIAL AIR HOSES									
K-2514H	25' x 1/4"	\$21.99							
K-2538H	25' x 3/8"	\$29.99							
K-5014H	50' x 1/4"	\$33.99							
K-5038H	50' x 3/8"	\$44.99							
K-10014H	100' x 1/4"	\$54.99							
K-10038H	100' v 3/8"	\$65.00							

300 PSI MAXIMUM PRESSURE

#### PREMIUM HYBRID POLYMER

**GARDEN HOSES** K-5058GH 5/8" x 50 ft. 150 PSI (Working) 450 PSI (Burst)



\$45. K-10058GH 5/8" x 100 ft.

\$7/.

Extreme All-Weather Flexibility Kink resistant

#### **3 GALLON OIL FREE AIR COMPRESSOR**

#### 8438

- 1.0 CFM @ 40 PSI 0.60 CFM @ 90 PSI
- Air pressure regulator and
- easy to read pressure gauges Convenient reset feature

#### 3 US Gallon tank

#### **3 GALLON OIL FREE** AIR COMPRESSOR & 2" BRAD NAILER KIT

8438/8200B

#### Kit includes:

KI INCIUGES:

Kit comes with powerful 18 ga. x 2"
brad nailer (70-100 PSI) which drives
standard 18 ga. brad nails from 5/8" to
2", 1/4" x 25t. coli air hose, 1/4"
female couplers, 1/4" male fitting, tire
inflator, air blower, air blower adaptor,
inflating nozzle and inflating needle

#### 2 GALLON AIR COMPRESSOR

#### 8449C

- Durable oil lubricated pump 2.70 SCFM @ 40 PSI 2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressuré gauges

## 2 US Gallon tank

#### 2 GALLON AIR COMPRESSOR **COMBO KIT**

#### 8449C/8200NH25

Kit includes:

- •1- 1.5 HP air compressor (8449C) •1- 18 gauge x 2" brad nailer kit (8200B)
- •1-3/8" x 25' air hose 300 PSI (KAH-3825)

#### 5 PEAK HP 20 GALLON AIR COMPRESSOR

#### 8498

- Durable oil lubricated pump

- · Air Pressure Regulator and easy to read



ASME safety valve

ASME safety valve



\$329.99

ASME safety valve

6 COMPRESSOR ONLY

COMBO KIT

**COMPRESSOR ONLY** 

COMBO KIT





# DRILL PRESSES & ACCESSORIES 10" DRILL PRESS WITH DUAL LASER GUIDE SYSTEM KC-110N • 2.5 Amp. motor • 5 speeds (620-3100) DRILL PRESS CHUCK SAFETY GUARD KM-116N Fits KC-116N & KC-116FN \$29.99



### 5" X 6" METAL CUTTING BANDSAW

\$699.

KC-129C

• 3 speeds (80-120-200 FPM)

Automatic shut-off switch

· Can be used horizontally or vertically

| Model | Length | Width | Blade | Material | TP| | Thickness | Price | R8B-115-10 | 64 1/2\* | 1/2\* | 1/2\* | 1/4. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5. | 1/5.



# **COMPOUND MITER SAWS**

8 1/4" COMPOUND MITER SAW WITH TWIN LASER 8320SC

Powerful 11 Amp. 5,500 RPM motor Compound cuts (miter and bevel)

up to 45° to the left 2-1/8" x 4-3/4" straight cut capacity at 90°

Includes 8 1/4" carbide blade

8385NS

Dual compound

cuts miter and bevel up to 45

left and right

Comes with

retractable

wings, vertical

\$289.99

extension

hold down

vise, and


dust bag

15 Amp. motor, 4,800 RPM

\$139.99

10" SLIDING DUAL COMPOUND

MITER SAW WITH TWIN LASER



15 Amp. motor 4800 RPM

Laser

- Rotating table has 9 position stops at 0°, 15°, 22.5°, 30° and 45° right and left
- Comes with dust bag, extension bars and table vise

Includes 10" carbide blade

\$169.<sup>99</sup>





Includes 12

carbide blade

10" WET/DRY **SHARPENER KIT** KC-4900S

Heavy-duty 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening

**OPTIONAL** 

4 pc. Accessory Kit KM-130

(Short knife jig, long knife jig, \$69.99 scissors jig & axe jig)  $\mathcal{G}^{\mu}$ 

#### **BENCH GRINDERS**

**BENCH** GRINDER STAND

SS-150N • Made of cast-iron

& alloy steel Height of 31-1/2"

from the floor Water reservoir

\$79.99

KC-690 •3.5 Amp. moto •3500 RPM \$69.99

KC-890

•7 Amp. moto •3450 RPM \$125.

8" LOW SPEED BENCH GRINDER WITH LIGHT

ദ്ധ

ஜ

KC-895LS •7 Amp. motor •1750 RPM

\$159.<sup>99</sup>

**MULTI PURPOSE ELECTRIC SHARPENER** KC-3900S \$55.99

> 9" WOOD BANDSAW

KC-902C

WITH LASER

Laser guide system indicates the cut line for reliable cuts every time 0° to 45° square tilting table

Powerful

1/2 HP motor

#### UNIVERSAL FOLDING MITER SAW STANDS

carbide blade



#### Comes with blade, miter gauge, rip fence, work light Enhanced and light bulb 59 1/2" WOOD CUTTING BANDSAW BLADES | Length | Width | TPI | Thickness | Price Model KBB-9-6 59 1/2" 1/4" 6 .014" \$22.99 KBB-9-8 59 1/2" 3/8" 8 .014"

#### OSCILLATING SPINDLE **SANDER** KC-701C

Comes standard with 1/2" spindle, 5 drums (3/4", 1", 1-1/2", 2", 3"), 6 sanding sleeves (1/2", 3/4", 1", 1-1/2", 2", 3"- 80 Grit), 6 table inserts, washers and adjustment wrench



\$199.99

12 PC. WOOD CARVING CHISEL SET K-1212 **\$79**.99



6" STICK-ON ADHESIVE DISCS					4"x 36" SANDING BELTS				
Model	Disc size	Grit	Units/Kits	Price	Model	Belt Size	Grit	Units/Kits	Price
SD-6-K-60	6"	60	3	\$6.99	SB-436-K-60	4"x36"	60	2	\$7.99
SD-6-K-80	6"	80	3	\$6.99	SB-436-K-80	4"x36"	80	2	\$7.99
SD-6-K-100	6"	100	3	\$6.99	SB-436-K-100	4"x36"	100	2	\$7.99
SD-6-K-120	6"	120	3	\$6.99	SB-436-K-120	4"x36"	120	2	\$7.99

#### 16" VARIABLE SPEED SCROLL SAW



blade tension knob

to 45°) Adjustable \$169.99







67 1/2" WOOD CUTTING BANDSAW BLADES 
 Model
 Length
 Width
 TPI
 Thickness
 Price

 KBB-1018-14
 67 1/2" 1/8" 14 .018" \$24.99

KBB-1038-6 67 1/2" 3/8" 6 .020" KBB-1012-6 67 1/2" 1/2" 6 .020"

Stand Included



**8 PC. WOOD LATHE** 

CHISEL SET

•Long 10" hard

wood handles

KPRO-08

Comes in a

·Easily change from a roller.

omni-directional or a

Stand height is adjustable from 27" to 44"

500 lbs.

•11-3/4" Roller width •Folds flat for storage

3 in 1 FOLDING

**ROLLER STAND** 

KRS-108

flat support

\$39.99

EXTENDABLE UNIVERSAL

MOBILE BASE

KMB-1250

\$24.99 \$24.99

wood box

**PORTABLE & GASOLINE GENERATORS & ACCESSORIES** 

# **5100W** GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- · Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- · AC double throw circuit breaker and resets

#### 5100W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

- KCG-5101GE-DF
   Powerful 8 HP, 4 stroke air cooled moto

- AVR system and electronic ignition
  Two duplex outlets: 120V/20 Amp. AC
  Twist lock outlet: 120V/240V/30 Amp. AC
  AC double throw circuit breaker and resets

Comes with propane tank connection cable



• Powerful 10 HP, 4 stroke air cooled motor

- AVR system and electronic ignition
  Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets for safe operation

#### **10000W** GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
  Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
   AC double throw circuit breaker and resets for safe operation

#### **12000W** GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
  Two duplex outlets: 120V/20 Amp. AC

- Twist lock outlet:120V/240V/30 Amp. AC
  Outlet: 120V/240V/50 Amp. AC
  AC double throw circuit breaker and resets

#### POWER FORCE DUAL FUEL 12000W DUAL/FUEL GASOLINE/PROPANE GENERATOR

KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled motor
- · AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC

WITH ELECTRIC START

- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets

Comes with propane tank connection cable

# **15000W** V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

**Powerful 20 HP,** V-Twin horizontal shaft 4 stroke air cooled OHV engine

- AVR system and electronic ignition
  Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
  AC double throw circuit breaker and resets
  Terminals: 12V/8.3 Amp. DC with DC reset















#### 5000W DUAL FUEL GASOLINE/PROPANE Powerful 8 HP, 4 stroke air cooled DIGITAL INVERTER GENERATOR

KCG-5000i-DF

Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics

DC USB port: 5V/2.1 Amp.

- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output AC twist lock outlet:

120V/30 Amp. AC output

\$1199.99



#### 2000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2001i

Powerful 3 HP. Sine wave digital inverter generator 4 stroke air cooled provides stable current to power voltage-sentitive electronics

Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered equipment DC Cigarette Lighter Socket:

12V/8 Amp DC output AC Duplex Outlet: 120V/

13.3 Amp AC output

\$649.99

Optional

#### **GENERATOR HOME** CONNECTION KIT K-X7500

Outdoor to indoor receptacle kit

sleeve connector, 2 insulating gaskets and mounting hardware

#### GENERATOR **Extension cords**

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SITW 4/C)

K-L1430R-25 Extension cord length:

Gauge (AWG)/Cord: Resets



K-L1430-25-4T Extension cord length: 25 feet Gauge (AWG)/Cord: Lighted 10 (STW 4/C) End

K-L1430-25EXT



#### 50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R Female receptacle with lighted end Nema 14-307 120/2407 bist lock receptacle

Cord length: 1.5 feet

K-1 \( \Delta \cdot \Operator \Delta \cdot \Delta \cdot



#### GASOLINE WATER PUMPS

- 92' Total head lift (total height at sea level, to which water can be raised above original water level)
- Oil sensor shuts off engine when oil level is low Comes with 3 wire clamps, 4 hose adaptors,
- 4 rubber gaskets, strainer basket and strainer

Easy start recoil starter



7 HP 4 stroke air cooled OHV engine



KCG-2WPG



#### WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor CLEAR PVC REINFORCED SUCTION FLAT PVC DISCHARGE HOSES



\$89.99

**\$119**.99