# **FALL & WINTER** SINCE 1983

# USE WHAT THE **PROS** USE



INTERRUPTION

\$1799.

### PRICES IN EFFECT UNTIL DECEMBER 31<sup>ST</sup>, 2025







WITH 22 CUTTER INSERTS Replacement cutter inserts KW-104 (see p.5)

omes with 2 safety push blocks, cutter insert adjustment Cutterhead speed 12,000 RPM

MAGNETIC DIGITAL ANGLE GAUGE \$39.99 **KW-180N** 



### 1200 CFM DUST COLLECTORS

Noise level reading at 36": 66-77dE Static pressure (inch of water): 9.5 Dust port opening: 2 x 4" / 1 x 6"

1 Micron canister filter, offering optimum air flow





# 10" CABINET TABLE SAW KC-10HCX

Riving knife blade guard with anti-kickback fingers and laser



CAPACITY BARS KIT KRF-H50

\$59.99

\$199.

\$59

SWITCH FOR KC-10HCX KW-240-10HCX \$89.

Prewired for 120V

Cast iron table extensions

designed to increase the rip capacity from 30" to 50"

3 GALLON 3000 hours **ULTRA-QUIET** OIL-FREE AIR COMPRESSOR KC-1030A

KING

3.5 CFM @ 40 PSI

2.8 CFM @ 90 PSI 135 PSI maximum tank pressure

KING.

1.1 HP (PEAK)

**\$199**.99

14" WOOD CUTTING **BANDSAW WITH** RIP FENCE KC-1402FX

> Large 21-3/8" x 15-5/8" cast iron tilting table with rack & pinion adjustment

### Powerful 1 HP 120V motor

- Dust chute accepts 2", 3" and 4" dust collector hoses
- Comes complete with cast aluminum miter gauge, rip fence with 5" high face, push stick, adjustment wrench and hex. kevs
- Quick release lever blade tension system

100 5/8" WOOD CUTTING BANDSAW								
KING	Model	Length	Width	TPI	Thickness	Price		
100%	KBB-1318-14	100 5/8"	1/8"	14	.025"	\$29.99		
	KBB-1336-10	100 5/8"		10	.025"	\$29.99		
	KBB-1314-6	100 5/8"	1/4"	6	.025"	\$29.99		
	KBB-1338-6	100 5/8"	3/8"	6	.025"	\$29.99		
	KBB-1312-6	100 5/8"	1/2"	6	.025"	\$29.99		
	KRR-1334-4	100 5/8"	3/4"	4	025"	\$29 99		

# 22" PROFESSIONAL SCROLL SAW

KXL-22

\$99.

- Professional quality scroll saw with 1.3 Amp DC motor
   Built-in dust blower system
   Variable speed (550-1550 strokes/min)

- Head tilts to 45° to the left and to the right Large 13-3/4" x 27-5/8" stationary table
   Comes with two 5" pinless blades and adjustment hex. keys











# 13" PLANER / MOULDER

### KC-235PM

- Powerful 1.5 HP motor
- Double drive belt system
- 6 1/8" max. planing /moulding thickness







MÖÜLDING KNIFE SET K-4509K ALSO AVAILABLE: 20 INDIVIDUAL MOULDING KNIFE SETS

\$279

# H.S.S. PLANER KNIVES

KKC-13PM Fits: KC-235PM

15" KKC-15 20" KKC-20

**\$99**.99

**\$169**.99



# **PLANERS**

# 13" PLANER WITH HELICAL CUTTERHEAD

### KC-13HPC

- Powerful 15 Amp. motor
- Pre-set depth stops for repeat cuts at 1/8", 1/4", 1/2", 3/4", 1", 1-1/4", 1-1/2" and 1-3/4"

HELICAL CUTTERHEAD WITH 26 CUTTER INSERTS

\$689.99



KC-8HJC & KC-13HPC

\$59.<sup>99</sup>



# (E)

# PLANERS WITH SPIRAL CUTTERHEADS

VITER RUPTION

# 15" PLANER WITH SPIRAL CUTTERHEAD

### KC-390FX

- Powerful 3 HP motor (220V motor)
- A spiral cutterhead is 50% quieter than
- a conventional cutterheadh
- Anti-kickback fingers in front of the
- Infeed roller to prevent wood kickback
  Magnetic safety switch
  Comes complete with cabinet stand
  and 4" dust collector outlet

4 Row spiral Taris cutterhead with 74 replaceable 🧯 cutter inserts

\$3199.

# 20" PLANER WITH SPIRAL CUTTERHEAD

### KC-526FX

- Powerful 5 HP motor (220V motor)
   A spiral cutterhead is 50% quieter
  than a conventional.
- than a conventional cutterhead
- Anti-kickback fingers in front of th infeed roller prevents wood kickback Magnetic safety switch Comes with 5" dust chute

4 Row spiral cutterhead with 98 replaceable cutter inserts

\$4899



\*\*\*\*\*\*\*

### KW-140

- on all 4 sides
- Cutter size: 14mm x 14mm x 2mm
- Fits KC-526FX / KC-530FX / KC-630FX-2/ KC-630FX-6

KING.

- KW-104
  Carbide inserts cut on all 4 sides
  Cutter size: 15mm x 15mm x 2.5mm
  Fits: KC-10HJC/KC-525FX/ KC-530FXR/ KC-12HJPC

\$99.99 EA.

KING

# 15" PLANER

\$1899.









20" HEAVY-DUTY **PLANER** 

## KC-520C

- Powerful 5 HP (220V motor)Cuts per inch: 104-83
- Feed rate: (16-20 FPM)
- 8" max. planing thickness
  Magnetic safety switch

\$3199.







\$29.99

# **OSCILLATING SPINDLE SANDERS** & ACCESSORIES

# OSCILLATING SPINDLE SANDER KC-OVS-TL

- Table can be tilted downwards up to a maximum of 45° to allow the sanding of beveled parts
- Comes standard with 3 spindles (1/4", 1/2" and 5/8") and 2 drums (1-1/2" and 2")



Model	Sleeve Size	Grit	Units/Kits	Price
SL-514-K-80	5 9/16" x 1/4"	80	2	\$14.99
SL-514-K-120	5 9/16" x 1/4"	120	2	\$14.99
SL-512-K-80	5 9/16" x 1/2"	80	2	\$14.99
SL-512-K-120	5 9/16" x 1/2"	120	2	\$14.99
SL-534-K-80	5 9/16" x 3/4"	80	2	\$14.99
SL-534-K-120	5 9/16" x 3/4"	120	2	\$14.99
SL-515-K-80	5 9/16" x 1 1/2"	80	2	\$14.99
SL-515-K-120	5 9/16" x 1 1/2"	120	2	\$14.99
SL-520-K-80	5 9/16" x 2"	80	2	\$14.99
SI -520-K-120	5 9/16" x 2"	120	2	\$14.99





### **SLEEVES** 5"x 1/4" to 9"x 4" Sleeve Size Grit Unit/Kit \$6.99 \$1-638-80 6" x 3/8 120 \$6.99 SL-638-120 6" x 3/8" \$6.99 SL-612-120 SL-658-80 6" x 1/2' 6" x 5/8' 120 80 \$6.99 \$6.99 SL-658-120 6" x 5/8 120 1 \$6.99 \$9.99 \$9.99 80 1 120 1 SL-934-80 6" x3/4" SL-934-120 6" x 3/4 SL-910-80 SL-910-120 \$9.99 \$9.99 80 120 SL-915-80 9" x 1 1/2" \$9.99 SL-915-120 9" x 1 1/2" 120 1 \$9.99 SL-920-80 \$9.99 9" x 2' \$9.99 \$14.99 SL-920-120 120 9" x 3' 80 1 SL-930-80 9" x 3" 120 1 \$14.99



# 2" X 42" BELT & 8" DISC SANDER

- Powerful 1 HP, 6.2 Amp direct drive motor
- Both a 1" and a 2" sanding
- belt can be installed Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys

\$499.









Comes with aluminum miter gauge, cast-iron work stop, T-slot centre

point, enclosed stand and adjustment hex. keys



# 6" x 48" BELT & 9" DISC SANDER

### KC-760L

80 °

\$24.99 \$24.99

Two 2-1/2" dust chutes with 2-1/2" to 4" adaptor for dust collector hook-up Comes complete with miter gauge, 2-1/2"to 4" dust chute adaptor and sturdy enclosed cabinet stand

## ABRASIVE CLEANER K-1306 1 1/2" x 1 1/2" x 8 1/2"





# 6" x 48" BELT - 9" & 12" DISC SANDER KC-780FX

- Powerful 1.5 HP direct ball bearing drive motor
  Heavy-duty cast-iron tilting tables and frame
  Adjustable belt unit operates
  vertically,horizontally or
  at any set angle in between
  2 dust chutes (2" & 2-1/4") for
- vacuum ordust collector hook-up
- Sturdy cabinet stand Quick belt release mechanism Both sanders comes complete
- with heavy-duty miter gauge and back

1 HP Motor







\$1299.



KC-1632DS

- 10 Amp, motor
- Drum speed: 1,720 RPM
- 2 1/2" dust chute
- Easy clamping sanding belt loading system







can sand a **32"** wide piece in 2 passes





KC-4900S Heavy-duty 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision sharpening **\$249.**99

OPTIONAL 4 PC. ACCESSORY KIT

(Short knife jig, long knife jig, scissors jig & axe jig)

\$69.99

# OSCILLATING EDGE SANDER

& ACCESSORIES

6" x 108" OSCILLATING EDGE SANDER

KC-6108-OSCM

Powerful 2 HP motor

- Precision ground cast-iron tables
- Magnetic switch and top mounted emergency stop button
- Comes with miter gauge, work stop, three end-table inserts and three 4-1/2" spindle drums and sanding sleeves (1-1/2", 2" and 3")







2 x 4" Wire Hose Clamps

DUST COLLECTION HOSE KIT #2

collectors KC-3105C, KC-3108C, KC-3109C, KC-4043C, KC-4045C and other





K-1035-50 5" Lin Fr **\$5.**49



\$9.99

\$9.99

4" Y-FITTING K-1015



\$9.99

**\$23**.99

4" ELBOW K-1017



\$9.99

4" SPLICE K-1019

\$9.99

1"- 6" UNIVERSAL ADAPTOR 🚄 K-1039

\$9.99

WIRE HOSE CLAMPS 4"-K-1317

**\$2**.79

5"-K-1318 **\$3.**49

DUST COLLECTION SEPARATOR with ELBOW K-1056/ K-1017

To maximize the cyclonic \$49.99

4" DUST COLLECTION **HOOK-UP SYSTEM** 



KW-270 27 pc Kit includes:

27 pc Nt Intcuses;
• 4 pc- 4" x 36" Clear tubes
• 1 pc- 4" x 7" Clear tube
• 2 pc- 4" 45 degree elbows
• 2 pc- 4" 90 degree elbows
• 7 pc- 4" adaptor fittings
• 2 pc- 4" Blast gates

• 1 pc- 4" Y-fitting • 8 pc- retaining Brackets

(including 16 screws and 16 wall plugs)

\$175.

1 MICRON FELT \$69.99 **UPPER BAG** KDCB-3108T-1MIC Fits: KC-3105C, KC-3108C & KC-3109C

**CLOTH BOTTOM DUST BAG** 

\$59.99 KDCB-3105B

Fits KC-3105C, KC-3108C, KC-3109C SEE THROUGH PLASTIC **BOTTOM DUST BAGS** KDCB-5



### CYCLONE SEPARATOR DUST COLLECTORS WITH 1 MICRON CANISTER FILTERS 1200 CFM 2280 CFM 700 CFM clonic force removes 99% of dust and wood chips before DUST COLLECTOR WITH CANISTER FILTERS **DUST COLLECTOR** DUST COLLECTOR it reaches your dust collector WITH CANISTER FILTER WITH CANISTER FILTER Recommended for 1.5 to 3 HP dust collectors Cyclonic action separates heavy debris from the fine particles KC-2405C/KDCF-2400 KC-3109C/KDCF-3500 KC-4045C/KDCF-3500 and directs them into the steel drum •Noise level reading at 36": 66-77 dB •Static pressure (inch of water): 9.5 •Noise level reading at 36": 75-85 dB •Static pressure (inch of water): 11.8 •Noise level reading at 36": 75-85 dB •Static pressure (inch of water): 6.1 6" Inlet with 2 x 4" adaptor 7" Outlet with 6" adaptor 29 Gallon •Dust port opening: 3 x 4" / 1 x 8' Dust port opening: 4" •Dust port opening: 2 x 4" / 1 x 6" and additional 1" to 6" 1 HP steel drum 2 HP 9 Amp. @ 220V 3 HP 10 Amp. @ 220V 7 Amp. @ 120V Drum bag included Turn vour dust KING heavy-duty two-stage cyclone dust KING 1 Micron Canister filter 1 Micron Canister filters KING collection system KING 1 Micron Canister filter KING KING KING KING KING KING NG AIRFORCE \$599.99 \$1499. \$399.99 \$899 **KAC-410** KAC-1200 KAC-1400

# **SPEED** IR CLEANERS

2 stage filtration, one disposable electrostatic 5 Microns outer filter and 1 Micron inner two pocket filter

9 Amp. motor Air suction capacity 410 CFM



Air suction capacity 720, 1115, 1290 CFM \$399.99

Noise level reading at 36": 79 dB Static pressure (inch of water): 11 54 Gallon steel drum with quick

release handle and castor wheels



3 Amp. motor KING Air suction capacity 950, 1085 1400 CFM \$599.99 COMES WITH 3-SPEED REMOTE CONTROL

# **CYCLONE DUST COLLECTORS & ACCESSORIES**

# 1.5 HP CYCLONE DUST 2 HP CYCLONE DUST COLLECTOR COLLECTOR 3 HP CYCLONE DUST OPTIONAL COLLECTOR GPC. HEAVY-DUTY

## KC-8150C

- Noise level reading at 36": 78 dB
   Static pressure (inch of water): 9.7
   29 Gallon steel drum with quick release handle and castor wheels
- for easy disposal Complete with 4 locking caster
- wheels for portability
- Dust port opening: 2 x 4" / 1 x 6"





# KC-8200C

- Noise level reading at 36": 78 dB Static pressure (inch of water): 10.9 29 Gallon steel drum with quick release handle and castor wheels
- for easy disposal Complete with 4 locking caster wheels for portability
- Dust port opening: 2 x 4" / 1 x 7"

# for easy disposal Complete with 4 locking caster wheels for portability Dust port opening: 3 x 4" / 1 x 8"

KC-8300C

# 1942/2900 CFM

# BAG KITS KDCB-82

(Fits: KC-8150C

KC-8200C) - India

\$39. KDCB-83

(Fits: KC-8300C) LOOKS. Suraban

# **HP CYCLONE** DUST COLLECTOR

### KC-8500C

- Noise level reading at 36": 76 dB
  Static pressure (inch of water): 14.5
  54 Gallon steel drum with quick release handle and castor wheels for easy disposal
  Complete with 4 locking caster wheels for portability
  Canister filter insulation panels with foam insulation
- Canister like: mass lowers noise level Dust port opening: 5 x 4" / 1 x 10" Auto Canister

2701/4400 CFM Filter Cleaner









# NAILERS & STAPLERS

# 23 GA. X 1 3/8" HEADLESS PIN NAILER KIT 8223PN 1/2" to 1-3/8" Pin range Comes with 1/4" Air inlet, 2 removable non-marring tip oiler, hex. keys and sturdy carrying case \$59.99

# 23 GA. X 2" HEADLESS PIN NAILER KIT

8251PN

1/2" to 2" Pin nail range Comes with 1/4" Air inlet, 2 removable non-marring tips oiler, hex. keys and sturdy carrying case

**\$119**.99

# 18 GA. X 1/4" NARROW CROWN STAPLER KIT

8101S3/8" to 1" Staple rangeComes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case

# 16 GA. X 2" MEDIUM CROWN STAPLER KIT

8216S-2

3/4" to 2" Staple range Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case

\$99.99

# 18 GA. NAILER/ STAPLER KIT

8210NS

18 Ga. x 1/4" (3/8" to 1 5/8") stapler 18 Ga. (3/4" to 2") nailer Comes with 1/4" air inler oiler, hex. keys and sturdy carrying case

\$69.<sup>99</sup>





# CLIPPED HEAD FRAMING NAILERS KITS





# **STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR**

KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

• High efficiency reed valves 2 cylinder cast iron single stage oil

**HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR** 

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI
- High efficiency reed valves

3 cylinder cast iron single stage oil lubricated pump lubricated pump





Comes with



TIRE

**INFLATION GUN WITH PRESSURE GAUGE** 

K-1630

# ARCTIC FLEX

**RETRACTABLE AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE** 



MANUAL AIR HOSE REEL WITH HYBRID **POLYMER AIR HOSE** 



K-10014FRL 100 ft. x 1/4" • All-Weather Flexibility (-40°C to 65°C) • 360° swivel base \$109.99

(-40°C HYBRID POLYMER to **INDUSTRIAL AIR HOSES** 65°C) HYBRID POLYMER INDUSTRIAL AIR HOSES K-2514H 25' x 1/4" \$21.99 K-2538H 25' x 3/8" K-5014H 50' x 1/4" K-5038H 50' x 3/8" K-10014H | 100' x 1/4" K-10038H | 100' x 3/8" | \$65.99

300 PSI MAXIMUM PRESSURE

\$29.99 \$33.99 \$44.99 \$54.99

PREMIUM HYBRID POLYMER **GARDEN HOSES** K-5058GH 150 PSI (Working) 5/8" x 50 ft. 450 PSI (Burst)



\$45. K-10058GH 5/8" x 100 ft. \$77.

Extreme All-Weather Flexibility Kink resistant 11

# WET-DRY VACUUMS Double filtration system

### 8520LP

Powerful 3.5 Peak HP motor 5 US Gallon (20L)

Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 20L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



### 8530LPN

Powerful 4 Peak HP motor

8 US Gallon (30L) Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$89.99

## 8540LSTN

Powerful 4 Peak HP motor

10 US Gallon (40L)

Comes complete with 6 ft. x1-1/4" hose, 2 pc. stainless extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

# 8560LST

Powerful 6.5 Peak HP motor

16 US Gallon (60L)

Convenient 18 ft. power cord Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

\$299.99

**HEPA CARTRIDGE FILTERS** KVAC-1145 FITS: 8520LP, KVAC-1150 \$39



# 550 CFM AIR MOVER 8500AM

3 speed switch

Comes with two on-board 120V outlets to connect up t 3 Air Movers together for bigger jobs





Each kit includes a sanding back-up pad with hook and loop backing, 24 sanding papers (60, 80 and 120 grit) with hook and loop backing, 35mm Tru-cut narrow offset saw blade, 52mm rigid offset scraper blade,hex. key, and













\$79.99



**Emits** 8000 lumens

\$19.99



# PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW **\$199**.99

KC-8377

Variable speed dial for 0-420 SFPM

Comes with standard 44-7/8" x 1/2" x 0.025 14 TPI metal



# OPTIONAL

Miter Stand turns this Bandsaw

8377 <b>\$9</b> 9	).
BI-METAL BLADI	ES



# DRYWALL & PANEL LIFT



11 ft. high Tripod foot brake keeps drywall lift in position during use \$229.99

Easy to assemble and disassemble, can be placed in car trunk



# **1600 CFM** AIR MOVER WITH DIGITAL READOUT KC-1600AM

· Powerful 1600 CFM Air Mover, ideal for creating air circulation to dry floors,

carpets, walls or ceilings 3 speed settings for airflow control

10 ft. power cord





Digital readout with

controls and

timer settings

LED DUAL-HEAD **LED WORK LIGHTS** 

> KC-1502LED-C 10W Work light emits 1500 lumens

> \$49.99 Cordless

KC-1501LED 15W Work light emits 1500 lumens

**\$35**.99

KC-3001LED 20W Work light emits 3000 lumens

\$59.99

KC-4001LED 36W Work light

\$199.99 \$149.99 emits 4000 lumens

Emits 6000

lumens

KC-4002LED-ST KC-3002LED-ST \$99.99

# 50 FT. 5 LED STRING LIGHT 5,000 Lumens

K-5016-5LED

50 foot 16 AWG /3 conductor grounded SJT power cord 75 linear feet of coverage at 10 feet in height Waterproof to IP44 standards



**\$99** 



9 Amp. motor Comes with 1/2" chuck, 3 galvanized mixing paddles (10mm he) shank), wrench\_ and sturdy carrying case



# **BISCUIT JOINER KIT** KC-8306

Motor: 7 Amp. 10,800 RPM
Robust fence with 0 to 90° and 90° to 135° tilt

adjustments with positive stops at 45° & 90° Kit includes 4"

carbide tipped blade, dust bag hex. key and plastic carrying case



























XL-312



\$49.99 3-1/4" \$49.99 3-1/2"

4 PC. INSERT
RING KITS
Zero Clearance
(1/4", 1/2", 1-3/8", 2-1/2")

7 1-3/8", 2-1/2")

XL-074 \$99.99



ROUTER LIFT WITH HEIGHT LOCK XL-125 11-3/4" x 9-1/4" anodized aluminum top plate

\$649.



XL-114 11-3/4" x 9-1/4' **\$99.**99





# **Router Table Kits**







# 17" WOOD BANDSAW KC-1702FXB

- 2 speeds (1600/3300) SFPM
- Rack and pinion height adjustment system
  Cast-iron table tilts 10° to the left & 45° to the right
- Miter gauge system

# 17" x17" cast iron table 14 Amp. @ 110V - 7 Amp. @ 220V





# 21" WOOD BANDSAW KC-2102FXB

- 2 speeds (1890/3800) SFPM
- Cast-iron table tilts 10° to the left & 45° to the right
- Rack and pinion height adjustment system
- Miter gauge system

21" x21" cast iron table 16 Amp. @ 110V - 8 Amp. @ 220V





# 17" VARIABLE SPEED WOOD & METAL CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
   Variable speeds (metal): 100-650 SFPM
   Voltage (input power): 220V, 1 phase, 60 Hz
   Cast-iron table tilts 5° to the left & 45° to the right

23 1/2" x17" cast iron table 2 HP 7 Amp. @ 220V



Comes with: a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide





# **DRILL PRESSES & ACCESSORIES**













\$1099.







# 15" VARIABLE SPEED INDUSTRIAL DRILL PRESS





\$119.99

WOOD MORTISING ATTACHMENT

Kit comes with chisel holder, holddown arms, holddown bracket, fence, ring bushing adaptors, 4 pc. 1/2" shank mortising chisels & bits and

MA-511

carrying case

29 PC. TITANIUM DRILL BIT SET

KDB-29T

\$39.99

# DRILL PRESS VISES



CROSS SLIDE VISES Makes lateral or longitudinal adjustments simple KCV-4N KCV-5N KCV-6N \$99.<sup>99</sup> \$129.<sup>99</sup>