FALL & WINTER



RE-TOOL YOUR METAL SHOP

PRICES IN EFFECT UNTIL DECEMBER 31ST, 2025

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30

- 16 1/2" swing
 1 1/4" Drilling capacity
 3" Face mill capacity
- 5" stroke
- Spindle taper R8 12 speeds (150-2500 RPM)

OPTIONAL TABLE POWERFEED

ATTACHMEN1 PFM-32

For # PDM-30 **\$679.**

5 PC. ACCESSORY BONUS PACKAGE FREE

OPTIONAL

MILLING DRILLING MACHINE STAND

SS-45 **\$399.**99 **STATIONARY**

6.5 PEAK HP **60 GALLON AIR COMPRESSOR**

KC-6160V2

- 150 PSI max pressure 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

7" X 12" METAL **CUTTING BANDSAW** KC-712BC

- 11.5 Amp. motor
- Coolant system
- Adjustable ball bearing guides
 4 speeds (85-130-180-235 FPM)



H.S.S. & BI-METAL BLADES ("SKIP TOOTH") Blade Material TPI Length Width 3/4" Bi-Metal

THE MOST INNOVATIVE DRILL PRESSES EVER! 16" NOVA VIKING

DVR DRILL PRESS

83705

\$399

nova ® VIKING

PAR: KING INDUSTRIAL **CV/**

16" NOVA VIKING **BENCHTOP DVR DRILL PRESS**

- 83702 Powerful direct drive 1 HP high torque motor with no
- pulleys or belts Spindle taper MT #2

Amp.

\$2999

KING

Thermally protected

Marathon® 6.5 peak

HP motor with reset

Comes with 5/8" drill chuck & key, firmware USB cable

\$1599.99

16" X 20" COMBO

and tool box with adjusting tools

LATHE/MILL

KC-1620CLM

OPTIONAL

SS-1620CLM

STAND

Safety Guard Θ Limit Switch 83750 Fits #83702 &

> Powerful direct drive 1 HP high torque mot with no pulleys or be Spindle taper MT #2

Comes with 5/8" drill at & key, firmware USB cable

Two powerful 3/4 HP 110V motors

\$3299

\$1799

Comes with 5"- 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & Two powerful 3/4 HP 110V motors

18" NOVA VOYAGER **DVR DRILL PRESS**



\$399.

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts Spindle taper MT #2 Comes with 5/8" drill chuck
- & key, firmware USB cable

\$2499

14" DRY-CUT METAL **CUTTING CHOP SAW** KC-8314

- Powerful 15 Amp., 1,450 RPM motor High quality 14" TCG/FTG Chop Saw blade included for cutting mild steel and ferrous metals
- Quick release vise with adjustable positive stops a 0°, 15°, 25°, 45° Comes with 14" X 72 carbide tooth TCG/FTG Chop Saw blade and adiustment



Replacement 14" Dry-cut metal cutting chop saw blade 14" x 72T \$119.99 14" x 72T **KSC-1472**

3200 PSI GASOLINE HIGH PRESSURE WASHER KPW-3200

- 3200 PSI, 2.5 GPM
- maximum water flow Low oil shut-off system
- Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke air cooled OHV engine



FORCED AIR CONSTRUCTION PROPANE HEATERS

ignition





\$399



MILLING DRILLING MACHINES & ACCESSORIES









17" LONG STROKE **DRILL PRESS with** SAFETY GUARD









15" VARIABLE SPEED



HEAD TILTS 90° TO THE LEFT AND 30° TO THE **RIGHT**

3/4" chuck

\$1099



SWITCH KC-40HC (220V) KC-40HC-6 (600V)

• 1.5 HP Motor Forward & Reversing Switch • 1 1/4" Drilling ANGLE

Capacity 20 7/16" Swing

• Spindle Taper R-8 6 Speeds

(60-1500 RPM) Face Mill Capacity 4"

• End Mill capacity 3/4"

· Working surface of table 23"x 7 1/2"

\$1299 POWER DOWNFEED & TAPPING

⊕

RECIRCULATINI COOLANT SYSTEM

\$1399.

28" GEARHEAD **DRILLING MACHINE** WITH **SAFETY GUARD &** LIMIT **SWITCH** KC-50

· 2 HP motor • 27 1/2" swing

• 7" stroke Speeds (60-870 / 120-1740) 1 1/2" capacity

 Spindle taper MT#4

• 5/8" Chuck & key included

\$5999.

\$6999.





VISES 🔏 3"-KPV-3 **\$19.**99 4"-KPV-4 **\$29**.99

\$4999.

KDC-12X 1/2"JT#33

COMPOUND SLIDE TABLE \$249.99 - 1/2" T- slots

52 PC. CLAMPING KCL-5212**\$89**.⁹⁹

END MILL SET KM-120 \$199.⁹⁹ 2 & 4 Flute (10 pcs. each) Imperial, Single End

20 PC. TITANIUM COATED

\$79.99

6"- KCV-6N\$129.99 6"-KPV-6 \$59.99 \$99.99

KEYLESS DRILL CHUCKS

KCT-618 \$129.99

Fits 1/2" table slots KCL-52 \$89.99 Fits 5/8" table slots







10" x 18"

METAL CUTTING BANDSAW

KC-227-2 (220V) KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM) Carbide ball bearing blade guide
- · Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible

· Coolant system with regulator valves

GAUGE **INDICATES** THE BLADE TENSION





10" x 18"



METAL CUTTING BANDSAWS

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW KC-712DS

6 Amp. (220V)

- Returning coolant system
 4 speeds (98-164-246-328 FPM)
 Automatic shut-off
 Adjustable ball bearing guides



7" x 12" nova dvr metal cutting bandsaw

Smart metal bandsaw features state of the art technology

Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive ControlTM Software

Constant torque under load and electronic braking emergency stop

• Includes a 240V conversion components kit





9" x 18" METAL CUTTING SWIVEL BANDSAW KC-918S-V (8 Amp. 220V)

KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant system
 Variable speeds (80-250 FPM)
 Carbide ball bearing blade guides with rollers
 Centralized control panel and automatic shut-off

- Adjustable hydraulic downfeed control
 Precision blade tension adjustment
 Head swivels 0° to 45° in one direction
 Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE SPEED METAL/WOOD CUTTING **BANDSAW**

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM

- Variable speeds (metal): 100-650 SFPM
 Voltage (input power): 220V, 1 phase, 60 Hz
 Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



KC-450

- Variable speedHandwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light







BENCH BENCH GRINDERS GRINDER KC-690LN ⋅ 3450 RPM **STAND** Laser Effect SS-150N **Built-in** Made of cast-iron & alloy steel Height of 31-1/2" \$79.99 from the floor Water reservoir for quenching workpieces KC-890 •7 Amp. motor •3450 RPM \$145. 10" KC-1090N • Powerful 1-1/2 HP, 13 Amp. 1,750 RPM low speed motor Comes with, medium 60 Grit and course 36 Grit 10" x 1" grinding wheels \$349.99 **POWERFUL 13 AMP. MOTOR** 8" LOW SPEED BENCH GRINDER WITH LIGHT KC-895LS Comes with course 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding



\$159.⁹⁹

wheels

1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
 Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels

\$79.99

OPTIONAL

4 pc. Accessory Kit KM-130

(Short knife jig, long knife jig, scissors jig & axe jīg)



Arbor shaft diameter: 5/8"
Motor no load speed: 1,750 RPM
Comes with two 8" x 1/2" spiral
sewn cloth buffing wheels

\$159.99

SB-242-80Z



2" X 42" BELT & 8" DISC SANDER **NEW & IMPROVED** WITH SAFFTY GUARDS CANDER CANDER Both a 1" and a 2" sanding belt can be installed Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys \$499. 2"x 42" PURE ZIRCONIA SANDING BELTS PURE ZIRCONIA 8" SANDING DISCS (7) Belt Size Grit Unit Price 2"x42" 60 1 \$9.99 2"x42" 80 1 \$9.99 2"x42" 100 1 \$9.99 2"x42" 120 1 \$9.99 Disc Size Grit Unit 8" 60 1 SD-8-80Z

SD-8-100Z

3" X 79" METAL BELT SANDER



9

KING

\$249.⁹⁹ \$1699.

KC-379MS

Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control

Comes with Canadian

made 80 Grit pure

- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces

3"x 79" PURE ZIRCONIA SANDING BELTS					
Model	Belt Size	Grit	Unit	Price	
SB-379-60	3"x79"	60	1	\$19.99	
SB-379-80	3"x79"	80	1	\$19.99	
SB-379-120	3"x79"	120	1	\$19.99	

2 HP METAL DUST COLLECTOR KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips colection drawer
- · 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



and metric readings Waterproof to IP54

standards Two 3V Lithium batteries included

\$35.





MAGNETIC SWITCHES

Comes with twist lock emergency stop button

\$129.99 ea.

KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)



Built-in cast-ironquench tray, 36 Grit and

60 Grit 12" x 2" grinding wheels



\$3999.

\$379.

\$749.



KC-3002LED-ST KC-1501LED 15W Work light emits 1500 lumens 40W work light emits 6000 lumens Quick release latch For indoor and outdoor use in dry locations \$35.99 10W Work light emits 1500 lumens KC-3001LE 20W work light emits 3000 lumens KC-1502LED-C **CORDLESS** \$59.99 KC-4001LE

36W work light emits 4000 lumens





- stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

14"cut-**OFF SAW** 8342LN

Quick release vise for holding workpiece, allows cuts up to a 45° angle Powerful 15 Amp



VARIABLE SPEED HAND-HELD

BLOWER/VACUUM \$29.99

8317

116 CFM, max air speed 195 km/h (121 mph)

Variable speed

(6.000-14.000 RPM)

KSB-110N-LED & KSB-350-LED \$29.99 \$799 \$29,99

PRESSURE ABRASIVE **SANDBLASTERS**

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape



HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
 Used to install or remove gears, bushings or bearings
- · Adjustable bed height with support rods



CABINETS

WITH LED LIGHT

4 different sized ceramic nozzles





Vacuum

mode

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI 6.0 CFM @ 90 PSI
- 2 cylinder cast iron single stage oil lubricated pump



5.5 PEAK HP 24 GALLON AIR COMPRESSOR KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI 2 cylinder cast iron • 6.0 CFM @ 90 PSI single stage oil lubricated pump



PREMIUM HYBRID POLYMER

K-10058GH

5/8" x 100 ft.

HEPA

CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

GARDEN HOSES Extreme All-Weather Flexibility

Kink resistant

K-5058GH 5/8" x 50 ft.

KVAC-1145

KVAC-1150

Fits: 8560LST

8520LP

FITS: 8520LP, 8530LPN, 8531LP-B, 8540LSTN

5 US Gallon (20L) Comes complete with 6 ft. x 1-1/4" thread-on

\$45.

ASME

AIR COMPRESSORS & ACCESSORIES



INFLATION GUN WITH PRESSURE GAUGE K-1630

HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure • 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron single stage oil lubricated pump

SPRAY GUN KITS 8185







8190 HVLP







KING

NDUSTRIAL 2- STAGE AIR COMPRESSORS

2-STAGE 5 RUNNNING HP **80 GALLON AIR COMPRESSOR**

KC-5280V3-MS

- · 200 PSI max pressure
- 19 CFM @ 175 PSI

2 cylinder cast iron

2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS





\$77. 150 PSI (Working) / 450 PSI (Burst)

\$39. EA.



300 PSI MAXIMUM PRESSI

	INDUSTRIAL AIR HOSES				
	K-2514H	25'x1/4"	\$21.99		
П	K-2538H	25'x3/8"	\$29.99		
И	K-5014H	50'x1/4"	\$33.99		
	K-5038H	50'x3/8"	\$44.99		
	K-10014H	100'x1/4"	\$54.99		
RF	K-10038H	100'x3/8"	\$65.99		

RETRACTABLE AIR HOSE 50 FT. x 3/8'
REEL WITH HYBRID
POLYMER AIR HOSE K-5038FRL

- All-Weather Flexibility
- (-40°C to 65°C) Comes with wall mounting hardware

\$109.99

MANUAL AIR HOSE 100 FT. x 1/4" REEL WITH HYBRID POLYMER AIR HOSE K-10014FRL

• 360° swivel base • All-Weather Flexibility (-40°C to 65°C)

Double filtration system



WET-DRY VACUUMS

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

8540LSTN

- Powerful 4 Peak HP motor10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



- Powerful 6.5 Peak HP motor 16 US Gallon (60L) Convenient 18 ft. power cord

Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control,cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and

hanging accessory storage bag



hose, 3 pc. plastic extension wand, 20L dust bag, foam/filter, reusable/filter, 10" floor sweep and crevice tool

Powerful 3.5 Peak HP motor

\$69.99





\$179.⁹⁹



GASOLINE/PROPANE GENERATORS

5100W GASOLINE **GENERATOR WITH** WHEEL KIT KCG-5100G

Powerful 8 HP, 4 stroke air

- cooled OHV engine AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99





5100W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-5101GE-DF



Powerful 8 HP, 4 stroke air cooled OHV

- AVR system and electronic ignition Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

\$599.99



12600W GASOLINE GENERATOR

WITH ELECTRIC START KCG-12600GE



- AVR system and electronic
- ignition Two duplex outlets: 120V/20 Amp. AC Twist lock outlet:
- 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC AC double throw circuit breaker and resets



DETECTOR

\$1099.99

6500W GASOLINE GENERATOR WITH ELECTRIC START

KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$649,99



10000W GASOLINE GENERATOR WITH **ELECTRIC START**

KCG-10001GE

- · Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- · Two twist lock outlets: 120V/30 Amp.

\$899.99



12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START POWER FORCE KCG-12001GE-DF IDUAL FUEL

Powerful 18 HP, 4 stroke air cooled OHV engine

AVR system and electronic ignition

Low oil shut-off with indicator light

Duplex outlet: 120V/20 Amp. AC

Twist lock outlet:120V/240V

30 Amp. AC Outlet: 120V/240V/

50 Amp. AC Keyed electric stárt and easy start recoil sta

AC double thro circuit breaker

and resets Terminals 12V/8.3 Amp.

DC and \$1199.99

Propane Tank Not Included Comes with propane tank connection cabl

GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)



K-L1430R-25

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



K-L1430-25-4T

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (STW 4/C)



K-L1430-25EXT

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (STW 3/C)



50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle K-1450P-2

Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (STW 4/C)



METAL LATHES & ACCESSORIES



7" X 12"

5.5 Amp. INCLUDES - 4"- 3 JAW CHUCK & STEADY REST (110V)

Θ

VARIABLE SPEED MINI METAL LATHE

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

10" X 22" **BELT DRIVE METAL LATHE** KC-1022ML

• 1" spindle bore

Spindle speeds 6 (150-2400) RPM

· Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$3399.



12" X 36"

1.5 HP **GEARHEAD METAL LATHE** (220V)

1 1/2" spindle bore
Spindle speeds 9 (60-1500) RPM
40(4-112 T.P.I) 30(.2 - 4.5mm) thread cutting
Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

\$5999. \$6499.

Θ HORSE. WITH TAPER ATTACHMENT KC-1236ML/KM-053/SS-1236 CABINET STAN INCLUDED

<u>TAPER ATTACHMENT</u> Taper Attachment must be ordered together with

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012 Fits most lathes up to 0 to 12" swing

\$249.99

KQCT-1015

Fits most lathes between \$399.99 10" to 15" swing

KQCT-1318

Fits most lathes between \$499.99

LIVE CENTERS

KLC-2M TAPER SHANK -MT#2

KLC-3M TAPER SHANK MT#3

\$69.

14" X 40"

GEARHEAD METAL LATHE

Spindle speeds 8(70-2000 RPM)

34(4-56 T.P.I) 26(.4 - 7mm) thread cutting

Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial

chuck keys, and cabinet stand with foot brake



⊕

2" Spindle Bore

Θ


2 HP


(240V)

4 HP

(600V)

WITH TAPER ATTAC KC-1440ML-2/KM-054 \$9999





and safety guard with limit switch protection

WITH DIGITAL READOUT KC-1440ML-2/54/DRO \$10,999.

KC-1440ML-2

\$9499

16" X 40" **HIGH PRECISION**

"TOOL ROOM" METAL LATHE • Spindle speeds 16(45-1800 RPM)

- 2" spindle bore diameter
- 45(2-72 T.P.I) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

WITH TAPER ATTACHMENT KC-1640ML/KM-055



